



iBEEF®



CATTLE HANDLERS

NEW GENERATION

35 years of accumulated animal handling experience

FARM READY RANGE AND INFINITY CUSTOM BUILD

INFORMATION PACK 2026/2027

HEAD OFFICE
PO BOX 959
92/2 HAWTHORNDEN DRIVE
RD 4, ROTORUA
NEW ZEALAND

An inflation price adjustment is added to all prices
See website for our sales Terms & Conditions



Freephone NZ 0800 80 90 98 E: sales@technipharm.co.nz W: www.technipharm.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharm.com.au W: www.technipharm.com.au

INDEX

	Page
Introduction	2
How does the Cattle Handler work?	4 - 5
Construction Explained/Infinity Custom Build	6
Locking Systems Explained	7
Cattle Handlers Farm Ready and Infinity Custom	8 - 24
MIDRANGER CT2000™	9
BEEFMASTER CLASSIC	11
BULL BEEF BOX	12
#8	14
HIGHFLOW 260™ EXTREME™	17
INFINITY - Custom	19
Auto Drafting/3-Way Drafting Modules	25
TechniPharm Cattle Handling Brand Promise	28
Innovation + Product Awards	28
Notes	29

Separate Info Pack see prices and worksheets to order your handler www.technipharm.co.nz

 **EZY QUOTE:** Beef Master with Rotating Yoke Headbail – Hilton from Wairoa “We handle bulls over 600kg, with our new TechniPharm handler this is not a problem”

CATTLE HANDLING INTRODUCTION

We Make Farming Ezy®!

At TechniPharm, we design, build and manufacture a superior range of New Zealand-made beef and dairy cattle handling systems — engineered to deliver real improvements in handling efficiency, operator safety and animal wellbeing. We've spent decades investing in innovation so farmers can access the best of what modern technology and practical design can offer. Today, TechniPharm is recognised as a leader in cattle handling, and our equipment continues to set the benchmark across New Zealand and Australia.

Genetics = Performance

Just as you carefully select the best genetics when buying a bull, the same principle applies when investing in cattle handling equipment. If you choose “yesterday’s design”, you’ll only get yesterday’s performance. But when you invest in modern systems built on innovation, you secure benefits that older technology simply can’t provide — in speed, safety, animal flow, low-stress handling and long-term productivity. Our long-term success comes from one clear reason: constant innovation. In fact, TechniPharm has received more cattle handling and equipment awards than any other company in New Zealand and Australia — a reflection of our commitment to staying ahead, so you can too.

Built for today’s farms — not just fixed models

For years, many farmers were restricted to “fixed models” that were built the same way regardless of farm layout, yard design or stock requirements. That approach might reduce the initial price, but it often results in systems that don’t truly suit the farm — leaving farmers with equipment that only delivers half of what it should. TechniPharm takes a different approach.

We now give you the power to design and build the unit that is fit-for-purpose, matched to your exact needs, farming system, stock type and future plans.

Levels of choice

We offer two proven pathways into TechniPharm Cattle Handling systems:

1) FARM READY Range

Reliable, ready-to-go systems where you select the operational side and get a proven setup fast.

2) INFINITY Range

A fully customised solution designed around your farm — delivering a handler that fits perfectly and performs at the highest level.

3) Upgrade guaranteed brand value

Over time your farming system is likely to change, so your needs may change with that, TechniPharm provides a brand guarantee that allows you to upgrade with up to a 100% trade in value giving you the confidence that what you buy today can be upgraded at little extra cost

We invite you to explore our range and consider how the right handling system can positively transform your operation — helping you save time, reduce risk, improve animal flow, and ultimately:

Make farming EZY — every step of the way.



Yours sincerely,
Harmen Heesen
Group CEO



Steve Muir
National Sales Manager
Animal Handling

COMPANY PURPOSE:

“We make farming ezy”

CORE VALUES:

Straight up, knowledgeable, committed and we are human

GOALS:

To have 30,000 working applications on farm



EZY QUOTE: “My neighbour has got one of these, I never really understood why it took him a few hours to do a job in the yards which takes me days”



HOW DOES THE CATTLE HANDLER WORK?

CATTLE HANDLING AT IT'S BEST

The Unique Technipharm® Cattle Handler & Headbail Series

The Cattle Handler is the single most important component of any handling facility. Get it right, and every job downstream – weighing, drafting, treatments, AI, pregnancy testing – becomes faster, safer and far less stressful for both stock and operator. Here is how the Technipharm Handler range delivers that result for you.

Built around the animal, engineered for the operator

Technipharm headbails combine animal-behaviour-led design, active and passive hydraulics, and proven mechanical simplicity to deliver safer, faster and lower-stress cattle handling. Each model is purpose-matched to animal size and workload, engineered with minimal moving parts, and validated by multiple independent innovation awards. The result is a handling “machine” that improves animal flow, reduces operator fatigue, lowers stress responses in stock, and integrates seamlessly with modern EID, weighing and automated drafting systems.

The Headbail can be used as a stand-alone or with an integrated Handler or upgraded into a fully integrated yard system. Technipharm headbails have won a combined total of 11 awards for design and performance – a record we are proud of, and one that is built feature by feature into every unit we deliver.

Rubber-lined yoke

The specially designed rubber-lined yoke locks the head securely and restricts up-and-down movement. The yoke shape, the contact surface and – critically – the rubber profile work together to make this system effective. The design is the product of extensive field research, monitoring cattle large and small to identify the optimum geometry.

Neck Extenders

Technipharm invented the Neck Extender with one clear objective: to bring the head further forward and stabilize and position it. Extending the neck also dramatically improves access for dehorning, tagging, pink-eye treatment, Compudosing and every other head-end job. It is, quite simply, the only way to get full, unobstructed access. The signature “moon-shape” profile of our headbails further enhances access from every side and provides genuine elbow room – something the straight-faced slide-door style headbails simply cannot offer.

Together, these features allow full head control without resorting to extra accessories or horizontal head locks. Operational features and safety remain entirely in the operator's hands at all times, so safety and handling speed are both optimised. For Collar-care work, the automated remote-controlled Neck Extenders take this system a step further again, giving fingertip control of head position when you need it most.

Injecta-Gate

A small detail that makes a big difference. The Injecta-Gate sits directly behind the headbail and provides safe side access to the top half of the neck for injection work. We strongly recommend it: it is the only safe and proper access for injections. Reaching for the neck through any other body section increases the risk of arm injury and can also damage the more valuable cuts of meat.

Side gates

All side gates are full size or split. Split gates can be pinned together to operate as a single full gate. Every side gate is front-hinged – and that is deliberate. Why front-hinged (rear-opening)? Because the cam latch sits at the rear of the unit, exactly where the operator naturally stands. With the latches close to the operator, every side gate can be opened from one position – no walking around the unit between animals. Front-opening designs, by contrast, can be forced back onto the operator as the animal exits. Front-hinging also brings a real benefit at calf-marking and milking time: a calf can be let into the Handler from the operator side, straight to the udder. With the cow fully immobilised by the headbail and squeeze (single or double-sided), the operator can work safely with minimal stress on cow and calf alike. If your operation needs a different configuration, the gate hinging can be reversed on request.

Anti-Swaybar

A National Fielddays Award winner, and unique to Technipharm. The Anti-Swaybar allows the operator to open every gate on one side of the Handler while keeping the animal fully supported – no risk of the animal falling sideways or stepping over. The result is complete, unrestricted access to the whole flank in a controlled, safe manner.



HOW DOES THE CATTLE HANDLER WORK?

Run-up system

The top side gates incorporate a full-length run-up system, available either straight or downward-sloping. It is designed to back-lock the animal in position. The run-up system can also be specified in a third, centre gate, allowing both the top and bottom gates to open fully while the centre gate continues to provide lock-up and support.

Squeeze

A good parallel squeeze is vital for control – a point many farmers underestimate at first. A double-sided squeeze fully reduces the width of the unit, positions the animal correctly, and gives total control for jobs such as pregnancy testing and AI. When weighing calves or heifers, it also stops smaller animals from turning around inside the unit.

An animal with its head in a Cattle Handler headbail and under squeeze is completely immobilised – giving the operator full safety to do whatever needs doing, with stress on the animal kept to a minimum. The Technipharm squeeze is driven by one handle and held by either a Hydralock or Kwiklock silent locking system: fast, effortless operation and an instant, noise-free lock. All gates can be split top and bottom, and can be specified with drop-down panels for full flank and back access – ideal for pour-ons, branding or backfat scanning. Lock and release is by a single handle, with full hydraulic operation available as an option.

Vet section

The Vet Section is designed for full, safe access. The operator-side gates are front-swung, allowing the vet or AI technician to step into the section, position themselves at the rear of the cow, and step back again – confident that a quick exit is always available.

On selected units we fit a Vet Safety Gate with a U-shape access. It closes behind the cow so she cannot kick back, and if she goes down it lets the vet's arm escape safely rather than being trapped between gate and animal. The non-operator vet-side access can be a split gate, a full gate or a fixed panel, depending on the configuration.

Rear-door entry

Three options are available:

- **Full slide-gate entry** – simple, robust, but needs full arm extension
- **Double sliding** (“elevator-style”) doors – each door requires only a 400 mm pull, a natural arm movement, and it stops the next animal pushing its way in – a real benefit during weighing.
- **Rotating fast-entry access gate** – hydraulic Handlers only. Super-fast open and close, particularly valuable during auto-drafting.

All manual gates include a lock system, so whoever is entering the Handler knows the next animal cannot push the gate open or jump it.

Floor

A floor is essential for accurate weighing. The Handler can be fitted with expanded mesh, fibre grate or rubber-lined steel. Rubber-lined floors are our recommendation: they are skid-free, noise-free and noticeably calmer for stock.

Multi-Lugs

Every Handler comes standard with mounting lugs. Multi-Lugs are an option and fit all common brands of weigh bars, or allow direct fixing to the concrete pad.

3-Way Drafting

Straight out of the Cattle Handler or headbail, drafting becomes a piece of cake with the dedicated Cattle Handler 3-Way Drafter. Self-closing access gates let an operator reach the headbail while preventing the animal from walking through. Drafting gates can be operated manually, by air, or hydraulically – the latter giving full control from any position via remote or joystick. Every gate is rubber-block silenced, so there is no clang when gates close. Full EID auto-drafting is also available.



EZY QUOTE: “Hell this makes the job so safe, I think any one could do it”

— Technipharm customer, EZY Quote

CONSTRUCTION EXPLAINED



CATTLE HANDLER CONSTRUCTION

Only qualified engineers and tradesman are constructing these top quality Handlers. The unit's construction is designed with a focus on handling the animal. If a Handler is to last and continue to do the job, there can simply be no shortcuts. It's easy to slap something together and cover it with Galvanizing. It's another thing to construct a real Handler. Special attention to the following is the reason why you get best value for money and why a TechniPharm handler out performs any other handler in the market.

- **PIPE OVER PIPE HINGING** Pipe over pipe hinging is an expensive way in which to hang gates, however it is the only way to ensure there is no sagging and the only way in which the gates and squeeze will function well and up to standard. Safety in knowing a gate will never come off its hinges is also an issue. The flange on top and bottom end of the pipe over pipe construction means no seizing will ever occur. Grease points everywhere for lubrication.
- **ROUND PIPE CONSTRUCTION** Round pipe is harder to work with than square box section, much more time and skill is involved in using this material, however round pipe means significantly reduced bruising and much more safety for operators. It's also much stronger and is less subject to corrosion. The issue here again is not to save on a few dollars but to focus on quality and safety.
- **HEAVY UPRIGHTS** All uprights are made of heavy grade steel, this ensures extra strength in the frame construction which will ensure the unit will not come apart due to fatigue.
- **SQUEEZE CONSTRUCTION** A single or double sided squeeze needs proper support in order to function well and bear the strain. The TechniPharm Handlers have a main frame which provides ample support (It is vital that the main frame holding the squeeze mechanism is 1/3 wider than the squeeze mechanism itself). Again the whole system is pipe over pipe and equipped with lubrication holes ensuring an easy and simple way to keep everything moving smooth and safe. The squeeze is locked via a kwiklock system and is one handle operation, no pulleys, ropes or heavy lift up handles or ratchets
- **LUBRICATION POINTS** As mentioned, the Handler is equipped with lubrication points, this is done to ensure the best and smoothest operation and reduce wear on moving parts. The choice of grease holes as opposed to grease nipples is one of long-term durability and function. Dung and urine can play havoc with grease nipples and once they do not function anymore, yes you know it, the job simply gets put aside. Grease holes will always stay open and are accessible at any time. Regular greasing will keep your unit like new.
- **MAIN FRAME CONSTRUCTION** The main frame is the key to total strength. TechniPharm Handlers have the strongest, heaviest construction around, full corner supports and fully enclosed ends means this frame will stand up to between 20 and 30 ton bending strain. Our frames are Pre Stressed which means after thousands of Cattle and years of use the frame will be as straight and strong as it was when delivered. (Press tested) With some of our Handlers handling over 70.000 ton of cattle per year we have proven that our frame strength is superior in weight and construction method.
- **WELDING** We use the latest equipment in welding all Handlers, no stick welding here! Our qualified tradesmen are determined to ensure the welds are strong, smooth and even. With pipe notching and a requirement to weld 360° degrees pipe over pipe joints the job simply has to be done right. "No smack'm flat bake it on" is allowed on a TechniPharm quality handler
- **HOT DIP GALVANIZING** This is a well known coating which is used on many steel products, what many people do not know is that galvanizing is a wearable coating which reacts with the environment and gets thinner as years go by. That said it's a popular coating which we offer standard on most handlers.
- **SMOOTH BENDS NO SHARP CORNERS** Where possible we have removed all sharp corners, this to ensure smooth and easy handling for all animals.

SILENT LOCKING SYSTEMS EXPLAINED

SILENT LOCKING SYSTEMS EXPLAINED

ACTIVE HYDRAULIC LOCKING SYSTEM



Active Hydraulic locking

HighFlow 260⁰™, #8 Handler™, BBB Prime™,

Active Hydraulic locking is actioned by a hydraulic power pac or tractor hydraulics. The power used in the hydraulic pressure system are more than enough to hold and lock cattle in a desired position without the need of an additional locking device. Superior hold and lock and superior speed and action by means of finger tip controls. Super EZY and ultra safe on all counts.

HYDRALOCK LOCKING SYSTEM



Passive Lock - Hydralock®

Midranger, Beefmaster Classic

The Hydralock® was developed to eliminate noise and to create a very reliable fast locking system.

The locking is actioned by moving oil between two compartments which are separated by a checker valve.

The system allows for infinite locking. In situ the system is always locked. A plunger releases the system, via the operating handle, ezy!

Ensure your Hydralock is genuine NZ Made by Technipharm, beware of copies!

KWIKLOCK™ LOCKING SYSTEM



Mechanical Locking - Kwiklock™

The Kwiklock ram is a patented locking system which works by positioning several hardened steel plates onto a shaft, a plunger locks which the plates in place. The system is instant in its locking and can be used in any position (flat or upright). This mechanical locking ram is used on all squeeze systems and where air rams are used to action the head bail.

The system allows for infinite locking. In situ the system is always locked, a plunger releases the system via the operating handle, ezy!



TechniPharm does not use ratchet locking systems, which are often found on alternative designs. Ratchet systems can be very noisy and tend to upset the stock. Creating unnecessary stress.

Silent locking systems provide for noise free and stress free Stock Handling.

EZY QUOTE: "While not being the cheapest the extra cost out laid are made up for the fact that a labour unit is saved in any task performed."



iBeef® farm with the following cattle Handlers:


- **MIDRANGER™**
- **BEEFMASTER CLASSIC™**
- **BULL BEEF BOX**
- **8# HANDLER**
- **HIGH FLOW 260**



TechniPharm Farm-Ready™ Cattle Handler Range – Introduction

TechniPharm's Farm Ready Range of Cattle Handlers is built for one purpose: to make cattle handling faster, safer, and easier for everyday New Zealand farming. Designed from decades of real on-farm experience, these handlers deliver the strength, reliability and animal flow farmers need—without unnecessary complexity. Whether you're weighing, drafting, scanning, dosing, treating, or carrying out

routine animal health work, the Farm Ready range provides a strong, simple and efficient platform that supports smooth stock movement and confident operator control. With proven TechniPharm engineering, practical features, and upgrade options including EID weighing and automatic drafting, these systems are ready to work from day one—helping reduce yard time, improve stock wellbeing, and keep farmers in control.



EZY QUOTE: 'I sourced all my handling yard requirements from TechniPharm because I have confidence in their gear and I wouldn't have made my choice to use TechniPharm equipment if I hadn't had confidence that the company was progressive in its approach to developing its range of products'

iBeef® farm with

P.O. BOX 959, ROTORUA, NEW ZEALAND
☎ 0800 80 90 98
Email: sales@technipharm.co.nz Website: www.technipharm.co.nz


FARM READY™ CATTLE HANDLER

MIDRANGER

0800 80 90 98

TechniPharm – Cattle Handler- New Generation Farm Ready Specifications

Feature	Midranger™
Operation spec. and size	
Operation mode	Manual
Main frame duty rating	Medium Duty
Vet section or Extended	✓ full length
HEADBALL	
Headball type (all rubber lined yokes)	Concertina Full size
Yoke neck contact area	100x50
Headball actuation	Manual
Headball operation handle	Rear drop away
Operator head access	185
ENTRY & SQUEEZE	
Entry gate	Single acting sliding panelled manual
Parallel squeeze sides	2-sided Manual
Neck extenders (1)	Bolt on
POWER, CONTROL & DRAFTING	
Electric hydraulic power pack	-
Auto Draft Capable (add 3 way drafter)	NO
Handheld remote (functions)	-
FLOOR & GATES	
Floor type	Fiberglass
Side access gates	2 (top & bottom) both sides
Side gate panel	1.6mm welded
Split vet gates	Op. side
Full access gate in vet area	None operation side
Drop gates (op. side)	-
Draft gate (non-op. side)	-
SAFETY & ANIMAL CONTROL	
Collar Care Automation (1)	-
Anti-backing system	Top Gate
Full length anti-jump bar	✓
Sway bar post	One sided interchangeable
Vet safety slot (one side)	-
injection access (injectagate)	Side
Locking system (silent)	Passive hydraulic
ACCESSORIES & EXTRAS	
Collar care storage arm	-
Drench pack hook/pack	✓
Workstation & scale indicator bracket	Stand bolt down
Weighbar multi lugs (4)	✓
EID Panel 400 by 600 mm (build in)	-
Tool tray	-
Pour on access top gate	-
CONSTRUCTION DETAILS	
Main frame size	75x75x3mm
Latch type	19mm spring latches
Gate hinging 40NB 4 mm pipe	Box over pipe
Nuts & bolts	Galvanised
Hot dip galvanised	✓
Grease points	✓ (all moving parts)
Gate panels	welded 1.6 mm
Construction animal contact area's	Box & cattle-rail
Weight of unit (approx guide)	900Kg
Cubic M3 / transport (approx guide)	12



MIDRANGER CATTLE HANDLER

Handle your beef cattle the safe, fast and easy way with the Farm-Ready Midranger. The full-size HydraLock headball and rubber-lined concertina yokes hold animals firmly with 185° head access — ideal for tagging, drenching, AI and vet work. A 2-sided manual parallel squeeze, full-length anti-jump bar and silent passive hydraulic lock keep stock calm and steady. Hot-dip galvanised, fiberglass floor, full-length vet section and side injection access — built tough, runs quiet, gets the job done first time, every time.

Our brand guarantee means you can upgrade at any time within 5 years and still get 80% trade in value !



**CONCERTINA HEAVY DUTY HEADBAIL
ROD ENDS HYDRALOCK®**

**PASSIVE HYDRAULIC HEADBAIL
OPERATION**

*New adjustable
powerlock
action*



FIBREGRATE FLOOR

(Option no floor)



19MM SPRING PIN LATCHES

Slam shut everytime.



BOX SECTION AND KATTLE RAIL STYLE

Rails non bruising



HEADBAIL REAR OPERATION

One position control for all handling work.



**2 VET GATES - SPLIT OPERATION SIDE
ONLY. NON OPERATION SIDE FULL
PANEL.**



BOX OVER PIPE GATE HINGING

Solid non sagging gates.



**SINGLE SLIDE GATE AT REAR WITH
LOCK LATCH**

Ensuring that another animal can't open
the gate. Safe and ezy!



NECK EXTENDERS

Brings the head forward which means the
neck is extended, there is less sway and as
such work much easier & is safer to work on.



**75X75X3 SQUARE HOLLOW SECTION
MAIN FRAME**

Solid construction.



WEIGHSCALE MULTI LUGS

Fit all brands of weigh bars.



**2 SIDED PARALLEL SQUEEZE WITH
KWICKLOCK AND HEAVY DUTY
SQUEEZE PIVOTS**



ANTI BACKING RATCHETS IN TOP GATE

Access for mothering calves or semen
testing through the bottom safe



**2 SPLIT SIDE GATES - ON BOTH SIDES
(front hinged)**



FULL SIZE REAR DOOR

Full view entry.






BEEFMASTER CLASSIC™

WWW.TECHNIPHARM.CO.NZ 0800 80 90 98

TechniPharm – Cattle Handler- New Generation Farm Ready Specifications

Feature	Beefmaster (tm) Classic
Operation spec. and size	
Operation mode	Manual
Main frame duty rating	Medium Duty
Vet section or Extended	Extended
HEADBAIL	
Headbail type (all rubber lined yokes)	Concertina Full size
Yoke neck contact area	75x50
Headbail actuation	Manual
Headbail operation handle	Rear drop away
Operator head access	185
ENTRY & SQUEEZE	
Entry gate	Single acting sliding open manual
Parallel squeeze sides	1-sided manual
Neck extenders (1)	Bolt-on
POWER, CONTROL & DRAFTING	
Electric hydraulic power pack	-
Auto Draft Capable (add 3 way drafter)	NO
Handheld remote (functions)	-
FLOOR & GATES	
Floor type	Fiberglass
Side access gates	2 (top & bottom, op. side)
Side gate panel	1.6mm welded
Split vet gates	-
Full access gate in vet area	-
Drop gates (op. side)	-
Draft gate (non-op. side)	✓
SAFETY & ANIMAL CONTROL	
Collar Care Automation (1)	-
Anti-backing system	Top Gate
Full length anti-jump bar	✓
Sway bar post	-
Vet safety slot (one side)	-
injection access (injectagate)	Side
Locking system (silent)	Passive hydraulic
ACCESSORIES & EXTRAS	
Collar care storage arm	-
Drench pack hook/pack	✓
Workstation & scale indicator bracket	✓
Weighbar multi lugs (4)	✓
EID Panel 400 by 600 mm (build in)	✓
Tool tray	-
Pour on access top gate	-
CONSTRUCTION DETAILS	
Main frame size	75x75x3mm
Latch type	19mm spring latches
Gate hinging 40NB 4 mm pipe	Box over pipe
Nuts & bolts	Galvanised
Hot dip galvanised	✓
Grease points	✓ (all moving parts)
Gate panels	welded 1.6mm
Construction animal contact area's	Box & cattle-rail
Weight of unit (approx guide)	600Kg
Cubic M3 / transport (approx guide)	10



The Beefmaster Classic is hybrid design with some great features for basic stock handling and weighing needs .

The superior award winning concertina headbail can be operated from the rear and front of the unit, without excessive force or noises common to ratchet headbails.

Good handling starts with the headbail. The headbail is vitally important to safe and efficient handling. Access to the head is improved by it's moon shape design giving you lots of elbow space to work on the head. The more durable moulded rubber lined yoke restricts head movement in a gentle way when you're injecting, dehorning or drenching.

The size of this TechniPharm® handler is perfect and gives many options on handling stock locked in the headbail or stand freely

If more control is required an anti backing system is available in the top half of the gate.

In terms of value for money ensuring maximum safety in general handling the Beefmaster Classic moves right to the top of TechniPharm's range.

Our brand guarantee means you can upgrade at any time within 5 years and still get 80% trade in value !




BULL BEEF BOX™




Halter/Collar Care Equipped

TechniPharm – Cattle Handler- New Generation Farm Ready Specifications

Feature	Bull Beef Box™
Operation spec. and size	
Operation mode	Active Hydraulic
Main frame duty rating	Heavy Duty
Vet section or Extended	Extended
HEADBAIL	
Headbail type (all rubber lined yokes)	Rotating Yoke
Yoke neck contact area	75x50
Headbail actuation	Active hydraulic
Headbail operation handle	-
Operator head access	195
ENTRY & SQUEEZE	
Entry gate	Double acting slide, panelled manual
Parallel squeeze sides	-
Neck extenders (1)	Active hydraulic
POWER, CONTROL & DRAFTING	
Electric hydraulic power pack	240v 0.75kw
Auto Draft Capable (add 3 way drafter)	NO
Handheld remote (functions)	4-function
FLOOR & GATES	
Floor type	Rubber lined
Side access gates	Full one-piece both sides
Side gate panel	1.6mm welded
Split vet gates	-
Full access gate in vet area	-
Drop gates (op. side)	-
Draft gate (non-op. side)	✓
SAFETY & ANIMAL CONTROL	
Collar Care Automation (1)	✓
Anti-backing system	Center gate
Full length anti-jump bar	✓
Sway bar post	Operation side only
Vet safety slot (one side)	-
injection access (injectagate)	Headbail
Locking system (silent)	Active hydraulic
ACCESSORIES & EXTRAS	
Collar care storage arm	✓
Drench pack hook/pack	✓
Workstation & scale indicator bracket	✓
Weighbar multi lugs (4)	✓
EID Panel 400 by 600 mm (build in)	✓
Tool tray	-
Pour on access top gate	✓
CONSTRUCTION DETAILS	
Main frame size	75x75x3mm
Latch type	19mm spring latches (double latched)
Gate hinging 40NB 4 mm pipe	Box over pipe
Nuts & bolts	Galvanised
Hot dip galvanised	✓
Grease points	✓ (all moving parts)
Gate panels	welded 1.6mm
Construction animal contact area's	Box & cattle-rail
Weight of unit (approx guide)	850Kg
Cubic M3 / transport (approx guide)	10



N/S or O/S



Bull-Beef™ is just that little more advanced when it comes to handling. Often fully equipped handlers or crushes as some call them, are “ over specified with vet sections and multiple gate entry points which are great when you dealing with Cows and young stock, but when it comes to Bull Beef they can be done without. The Bull-Beef-Box is just made for BULL BEEF and Collar Care management, every thing you really need is there and what you can do without is not, That EZY

“I was looking for something solid and simple, no need for bells and whistles. For weighing and drafting, this unit does it simply and effectively.

John Reeves – Te Kuiti

Our brand guarantee means you can upgrade at any time within 5 years and still get 80% trade in value !





ROTATING YOKE WITH ACTIVE HYDRAULIC OPERATION SUPER EZY ON YOUR SHOULDERS



HEAVY SCALES MOUNTING MULTI LUGS
fits all models
"plug and play"



BULL-BEEF-BOX Ready for action



NON OPERATING SIDE DRAFTING Great Ezy Action



RUN UP BACKING BAR SYSTEM solid lock up front side and back. Do what ever needs doing safely



SOLID DUAL LATCHED GATE NON OPERATING SIDE
secure lock at all times



ROTATING YOKE HEADBAIL WITH RUBBER YOKE AND NECK EXTENDERS
super adjustable pressure holding



ANTI SWAY BARS
Hold + Full Access at all times



DOUBLE LATCHED SIDE GATES FOR EXTRA SAFETY



TOOL/ MONITOR TRAY
so handy , plug and play....



AUTO LOCK ON REAR GATE safety for the operator is paramount



HEAVY DUTY LATCHES ON ALL GATES



Rubber Lined Floor



COLLAR CARE READY
Automated remote control Headbail and Neck Extenders for 1 man handling and Collar Management



HEAVY JUMP RAIL
keep that animal contained at all time



EZY QUOTE:

"Bull-Beef-Box™ a Cattle Handler specially designed for Bull-Beef. Raymond Lempier (Raglan on the Necklamp headbail " this unit is just superb in handling larger bulls its just a great unit"

#8 CATTLE HANDLER

QUALITY AND INNOVATIVE DESIGN BY THE #1 LEADER IN CATTLE HANDLING SYSTEMS

TECHNIPHARM™ - THE BRAND YOU CAN TRUST

NZ ☎ 0800 80 90 98 AUS ☎ 1 800 124 034 sales@technipharm.co.nz www.technipharm.co.nz


TechniPharm – Cattle Handler- New Generation Farm Ready Specifications

Feature	Number 8™
Operation spec. and size	
Operation mode	Active Hydraulic
Main frame duty rating	Heavy Duty
Vet section or Extended	✓ (full length)
HEADBAIL	
Headbail type (all rubber lined yokes)	Rotating Yoke
Yoke neck contact area	75x50
Headbail actuation	Active hydraulic
Headbail operation handle	-
Operator head access	195
ENTRY & SQUEEZE	
Entry gate	Rapid entry, hydraulic
Parallel squeeze sides	2-sided Hydraulic
Neck extenders (1)	Active hydraulic
POWER, CONTROL & DRAFTING	
Electric hydraulic power pack	240v 0.75kw
Auto Draft Capable (add 3 way drafter)	YES
Handheld remote (functions)	8-function
FLOOR & GATES	
Floor type	Rubber lined
Side access gates	2 (top & bottom) both sides
Side gate panel	1.6mm welded
Split vet gates	Both sides
Full access gate in vet area	-
Drop gates (op. side)	-
Draft gate (non-op. side)	-
SAFETY & ANIMAL CONTROL	
Collar Care Automation (1)	✓
Anti-backing system	Top Gate
Full length anti-jump bar	✓
Sway bar post	One sided interchangeable
Vet safety slot (one side)	-
Injection access (injectagate)	Headbail
Locking system (silent)	Active hydraulic
ACCESSORIES & EXTRAS	
Collar care storage arm	✓
Drench pack hook/pack	✓
Workstation & scale indicator bracket	Stand bolt down
Weighbar multi lugs (4)	✓
EID Panel 400 by 600 mm (build in)	✓
Tool tray	✓
Pour on access top gate	-
CONSTRUCTION DETAILS	
Main frame size	75x75x3mm
Latch type	24mm HD slam Camlatch
Gate hinging 40NB 4 mm pipe	Swaged pipe over pipe
Nuts & bolts	Stainless steel
Hot dip galvanised	✓
Grease points	✓ (all moving parts)
Gate panels	welded 3mm
Construction animal contact area's	Pipe
Weight of unit (approx guide)	1100Kg
Cubic M3 / transport (approx guide)	12



The #8 Cattle Handler™ is designed to take the pressure out of livestock handling. Built tough for high-volume work across the board, it delivers smooth, controlled operation while keeping both stock and operators safe. Engineered for efficiency and reliability, the #8 is ideal for breeders and stud farmers who want strength, Performance, and ease of use without hassle. With a powerful combination of smart design, heavy-duty construction, and proven performance, the #8 Cattle Handler™ helps you get more jobs done, faster and safer.

PLEASE TICK YOUR PREFERRED OPERATION SIDE **N/S** or **O/S**



Our brand guarantee means you can upgrade at any time within 5 years and still get 80% trade in value !




#8 CATTLE HANDLER

QUALITY AND INNOVATIVE DESIGN BY THE #1 LEADER IN CATTLE HANDLING SYSTEMS
TECHNIPHARM™ - THE BRAND YOU CAN TRUST

For real performance get a #8 as part of your forward pack



WITH ACTIVE HYDRAULIC AND AUTOMATIC HEADBAIL WITH NECK EXTENDERS



The #8 Cattle Handler from TechniPharm meets the specifications and just like on the rugby field, the yards on the farm is where the grunt of a #8 is needed

Check out *"Infinity#8 Omania Farm.mp4"* from TechniPharm on Vimeo. The video is available for your viewing pleasure at <https://vimeo.com/541155283>

If you like this video, make sure you share it, too!

- ✓ Built for the job
- ✓ Big player in the yards
- ✓ No nonsense approach
- ✓ Build to play the game
- ✓ Versatile
- ✓ Sturdy
- ✓ Mobile
- ✓ Goal Achieving
- ✓ Innovative
- ✓ Collar Care Ready

#8 HANDLER ACTIVE HYDRAULICS



ROTATING YOKE
Hold it right there.
With Automated
remote control



HOT DIP GALVANISED



**GREAT FULL
WIDTH EXIT**



INJECTA GATE
Safe access for
Injection work



**PIPE STYLE GATES
(NO SAGGING)
SWAGED PIPE
OVER PIPE GATE
HINGING**



**STEEL GATE
PANELS**
Welded to frame.



**STRAIGHT GATES
SPLIT TOP BOTTOM,
KATTLE RAIL STYLE,
HINGED AT THE
FRONT**
For non bruising, full
access.



**STRAIGHT FULL
LENGTH ANTI
BACKING RATCHETS**



**SLAM SHUT
CAMLATCH**



**SPLIT VET GATES
VOTH SIDES**



**2 SIDED PARALLEL
SQUEEZE**
Control at its best.



GATE WORK TRAY
For all your tools.



1 SWAY BAR POST
Holds the animal while
all the gates are open.



HD 24MM CAMLATCH
Black rubber/plastic
handle grips.



MULTI LUGS
Fit all types of weigh
bars.



REMOTE CONTROL



**COLLAR CARE
READY**
Automated remote
control Headbail and
Neck Extenders for 1
man handling and Collar
Management





CATTLE HANDLER HIGHFLOW 260° HD EXTREME™

QUALITY AND INNOVATIVE DESIGN BY THE #1 LEADER IN CATTLE HANDLING SYSTEMS

TechniPharm – Cattle Handler- New Generation Farm Ready Specifications

Feature	Hi-Flow 260 HD Extreme™
Operation spec. and size	
Operation mode	Active Hydraulic
Main frame duty rating	Heavy Duty
Vet section or Extended	✓ full length
HEADBAIL	
Headbail type (all rubber lined yokes)	Hi-Flow 260
Yoke neck contact area	100x50
Headbail actuation	Active hydraulic
Headbail operation handle	-
Operator head access	260°
ENTRY & SQUEEZE	
Entry gate	Rapid entry, hydraulic
Parallel squeeze sides	2-sided Hydraulic
Neck extenders (1)	260 Headbail
POWER, CONTROL & DRAFTING	
Electric hydraulic power pack	240v 1.5kw
Auto Draft Capable (add 3 way drafter)	YES
Handheld remote (functions)	6-function
FLOOR & GATES	
Floor type	Rubber lined
Side access gates	3 (top/mid/bottom) both sides
Side gate panel	3mm steel
Split vet gates	Both sides
Full access gate in vet area	-
Drop gates (op. side)	3
Draft gate (non-op. side)	-
SAFETY & ANIMAL CONTROL	
Collar Care Automation (1)	✓
Anti-backing system	Center swing gate
Full length anti-jump bar	✓
Sway bar post	Both sides
Vet safety slot (one side)	✓
injection access (injectagate)	Heabail
Locking system (silent)	Active hydraulic
ACCESSORIES & EXTRAS	
Collar care storage arm	✓
Drench pack hook/pack	✓
Workstation & scale indicator bracket	Stand bolt down
Weighbar multi lugs (4)	✓
EID Panel 400 by 600 mm (build in)	✓
Tool tray	✓
Pour on access top gate	-
CONSTRUCTION DETAILS	
Main frame size	100x100x4mm
Latch type	24mm HD slam Camlatch
Gate hinging 40NB 4 mm pipe	Swaged pipe over pipe
Nuts & bolts	Stainless steel
Hot dip galvanised	✓
Grease points	✓ (all moving parts)
Gate panels	welded 3 mm
Construction animal contact area's	Pipe
Weight of unit (approx guide)	2000Kg
Cubic M3 / transport (approx guide)	14



HIGHFLOW 260° HD EXTREME FEATURES

The Highflow 260° HD Extreme Handler is designed for Cattle Farmers who deal with heavy or large volumes of Cattle like heavy Bulls or Large Breeding herds.

Large and heavy animals can behave unpredictably and their weight is often 10 times the weight of the operator. This makes secure holding and easy

access to the animal of paramount importance for the safety of the operator. The design of this handler enables suburb access to head and neck for EID tagging and other general cattle work.

The Highflow 260° Extreme Handler is a stake in the ground for the very best of safe cattle handling for large volumes and large animals.



Our brand guarantee means you can upgrade at any time within 5 years and still get 80% trade in value !

HIGHFLOW 260™ HANDLER ACTIVE HYDRAULICS



HI-FLOW 260 HEADBAIL FULLY HYDRAULIC HANDLER



HOT DIP GALVANISED AS STANDARD
Zincshield option you choose.



100X100X4 MAIN FRAME
Solid as a rock.



DOUBLE HEADBAIL INJECTAGATES



EZY ACCESS GREASE POINTS WHERE NEEDED



3mm STEEL GATE PANELS WELDED FULL LENGTH
ALL GATES 40NB HEAVY WALL PIPE 4mm



BOTTOM GATE MID GATE AND TOP GATE "3 UP" FOR FULL ACCESS



65NB HEAVY BACK STRUCTURE POST AT VET SECTION



SPLIT SLIDE GATE 50NB & 3MM PANEL HYDRAULIC OPERATION



SLIDE GATE PICK UP POINTS M16 AND ROD END LINKS
Silent, solid operation.




SLIDE GATE BOTTOM RUNNER WITH NYLON RUNNERS
Best wear.



SLIDE GATE RUBBER STOPPERS BOTH DOORS
For silent operation.



50X50 SHS FLOOR RUNNERS
For supreme floor strength.



REMOTE CONTROL



STRIKERS/PIN AND GATE RUBBER STOPPED



4 VET SECTION SPLIT GATES PINNED WITH 2 RAILS TOP GATE




DROP GATE GATES IN MAIN TOP GATE STANDARD ON OPERATION SIDE
(non operation side optional)



2 SIDED PARALLEL SQUEEZE HYDRAULIC OPERATION



GATE WORK TRAY
For all your tools.



RUBBER OVER STEEL GALV FLOOR STANDARD
Great grip.



2 ANTI SWAY BAR POSTS HD
Holds the animal while all the gates are open.



PIPE STYLE GATES (NO SAGGING) SWAGED PIPE OVER PIPE GATE HINGING



MULTI LUGS
Fits all types of weigh bars.



VET SAFETY SLOT IN BOTTOM VET GATE
(non operation side)



EID
Monitor And Eid Reader for 100% read

"SIMPLY NOTHING OUT THERE BEATS A HIGHFLOW"

Check out the video

www.technipharm.co.nz



EZY QUOTE: "Why bother with the cheap & noisy ratchet units if you can get such a superior headbail for such a good price"



Freephone NZ 0800 80 90 98 E: sales@technipharm.co.nz W: www.technipharm.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharm.com.au W: www.technipharm.com.au



AND AUTO DRAFT SYSTEMS



CUSTOM BUILD TO YOUR NEEDS



Freephone NZ 0800 80 90 98 E: sales@technipharm.co.nz W: www.technipharm.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharm.com.au W: www.technipharm.com.au



INFINITY HANDLERS CUSTOM BUILD

For many years many animal handling companies have been very limited in their offerings to farmers by what is commonly known as a model by model approach, fixed features to a price model 1 and so one. For the buyer this means a risk that either the equipment is under or over specifications to purpose. Often when the unit is on farm its late to change. We are also seeing a very cheap end to the market with units made in china with very limited features and options, no design to purpose consideration and very substandard manufacturing quality. At TechniPharm we have 30 years of pride in both our equipment and designs. Our team in design and sales have always worked towards delivering to a purpose, rather than just a price.

There is no point in proving cheap and nasty by price and not achieving the outcomes required on farm. We are certain we have the most thought trough headbail and handling systems any company can offer. We have more equipment design awards then any other company in NZ or Australia The next step in design is giving our clients total control over what they want and need in a Handler. Where in fixed models you are stuck with a certain headbail or entry gate, in our new Infinity-Handler™ range you choose what you need by clear identification of the end outcome. This way of designing a Cattle Handler means purpose, price and design are perfectly matched. This new way of matching design to purpose is possible through a very clever piece of software which allows total interaction by the farmer in the ordering process. Once the parameters are know the system creates the Cattle Handler and confirms this via a price offer or invoice. The details of the

design go direct to the manufacturing facility in Tauranga and your handler is manufactured exactly to the specifications you have decided to best meet your animal handling needs At TechniPharm we consider this a leap forward in using smart technology with market demands, call it an internet of things interruption In time we think hauling steel to Field days and shows be a thing of the past , there is a huge cost to this which is paid for in the end by the customer. The new way of ordering your handler with the absolute security that it is fit for purpose does not lay in a steel box on show... its achieved by understanding and matching what you do step by step and match design and final product to that need. This new Infinity-Handler™ totally engaged system allows for that to happen . The Infinity-Handler™ range is backed up by a 100% money back guarantee and a brand upgrade policy which gives you an 80% trade value guarantee towards the next model up within 5 years of purchase date.

Build your own infinity handler at
www.technipharm.co.nz/infinity-series

Connect with us now and lets together design your Handler for everything and anything you wish to do when you handling stock..

0800 80 90 98
 sales@technipharm.co.nz
 1800 124 034
 sales@technipharm.com.au

“A perfect matched design for your cattle handling”

HOW DOES IT WORK

- 1. Go to www.technipharm.co.nz/infinity-series**
- 2. Select your herd**
- 3. Follow the selection tabs and click on the components that will work on your Farm.**
- 4. Select your desired options that suit your farm**
- 5. Complete the handler and get all your custom Handler info sent directly to your email**

If you are happy with your custom build handler for your farm and wish for this order to proceed, please let us know.

Please enter your details to start building your own custom Infinity cattle handler.

Your Name	<input type="text" value="First Name"/>	<input type="text" value="Last Name"/>
Address	<input type="text" value="Physical Address"/>	
Town	<input type="text" value="Town Location"/>	
RD#	<input type="text" value="Rural Delivery #"/>	
Country	<input type="text" value="Country"/>	
Phone Number	<input type="text" value="Contact Phone Number"/>	
Email Address	<input type="text" value="Email Address"/>	

PURPOSE	TASKS	ANIMAL SPECIFICS
Angus Stud	Mouthing	Volume > 1000 / month
Hereford Stud	Tagging	Volume 500 - 1000 / month
Other Stud	Weighing	Volume < 500 / month
Fattening	EID Reading	
Breeding Cows	Semen Testing	Age 18 - 48 months
Finishing	Calving	Age 12 - 24 months
Grazing Dairy Heifers	AI	Age 3 - 12 months
Dairy	PD Testing	
Bull Beef	Vet Work	Weight 600 - 1000 Kg
Steers (3-18 months)	Hoofcare	Weight 300 - 800 Kg
	Drenching	Weight 200 - 500 Kg
Bloodletting	Inoculating	
Microplasma Testing	Pink Eye	

OPERATION SIDE

Near Side Operation	
Off Side Operation	

ACCESSORIES

Hoofcare Front Supports	
Hoofcare Rear Winch	
Belly Hoist	
Anti Sway Bar	
Double Latch on Draft Gate	
Hydraulic Swing Arm	

SIDE GATES

Side Gate Full (Near Side) Hinged Front	
Side Gate Full (Near Side) Hinged Rear	
Side Gate Full (Off Side) Hinged Front	
Side Gate Full (Off Side) Hinged Rear	
Side Gate Split (Near Side) Hinged Front	
Side Gate Split (Near Side) Hinged Rear	
Side Gate Split (Off Side) Hinged Front	
Side Gate Split (Off Side) Hinged Rear	
Side Gate Drop Gates (Near Side)	
Side Gate Drop Gates (Off Side)	

HEADBAIL

Full Size Concertina Headbail	
Medium Size Concertina Headbail	
Rotating Yoke Headbail	
Dairy Handler Headbail	
Hiflow 260 Headbail and Hydraulic Pack	
Hydraulic Pack Headbail	

WEARABLE INFRASTRUCTURE

Neck Extender Remote Operation Dairy	
Neck Extender Remote Operation Beef	

ENTRY REAR GATES

Rear Entry Gate Full (No Panels)	
Rear Entry Gate Full (Panels)	
Rear Entry Split Door (No Panels)	
Rear Entry Split Door (Panels)	
Front Operation Rear Entry Gate	
Rear Entry Gate Hydraulic Pack	
Injectagate (Near Side)	
Injectagate (Off Side)	
3rd Gate Ratchet Backing (Centre)	
Drafting Gate (Non-Op Side)	
Run-up Gate Centre	

EID

EID Space (Near Side)	
EID Space (Off Side)	
EID Extended Space (Near Side)	
EID Extended Space (Off Side)	

FLOOR CONSTRUCTION

Floor Fiberglass Grating	
Floor Concrete	
Floor Steel Rubber Lined	
Floor Steel Open Mesh	

VET GATES

Vet Gate Split (Near Side)	
Vet Gate Split (Off Side)	
Vet Gate Full (Near Side)	
Vet Gate Full (Off Side)	
Vet Gate Vet Slot (Near Side)	
Vet Gate Vet Slot (Off Side)	
Squeeze Parallel Single Side	
Squeeze Parallel Double Side	
Squeeze Hydraulic Pack	
Side Access Gate (Near Side)	
Side Access Gate (Off Side)	

PRODUCT FINISH

Hot Dipped Galvanizing and Assembly

Zinkshield Powder Coat and Assembly

Bolts SS (Frame + Finish)

Bolts Galv (Frame + Finish)

Bolts Zinc Plate (Frame + Finish)

PRODUCT LABELS

TechniPharm Labels

Custom Client Labels



This unit is built for you matching your farms Cattle Handling needs.

If you are happy with your custom build handler for your farm and wish for this order to proceed, please let us know.

We thank you for the opportunity to be part of your farm development.

At Technipharm, "We Make Farming Ezy"



CATTLE 3 WAY DRAFTING AND AUTO DRAFTING SYSTEMS

INFORMATION PACK 2026/2027

HEAD OFFICE
PO BOX 959
92/2 HAWTHORNDEN DRIVE
RD 4, ROTORUA
NEW ZEALAND

- ✓ An inflation price adjustment is added to all prices
- ✓ See website for our sales Terms & Conditions



Freephone NZ 0800 80 90 98 E: sales@technipharm.co.nz W: www.technipharm.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharm.com.au W: www.technipharm.com.au

CATTLE AUTO DRAFTING

At TechniPharm, we believe the best cattle systems work with stock behaviour, not against it. That's exactly what our integrated auto-drafting system delivers when paired with the **Highflow 260 or #8 Cattle Handler** and a full **EID + weigh platform**.

The result? **Calmer cattle, more time grazing, and serious time savings for operators.**



Designed for animal wellbeing

Every extra minute cattle spend waiting in yards is a minute lost grazing. Our auto-drafting process is built around fast, single-animal flow with minimal noise, pressure, and stop-start movement.

- Smooth, fast rear-gate entry (a unique TechniPharm design) encourages confident forward motion
- Cattle are weighed and EID-read while calmly held, not rushed
- Automatic release immediately after drafting keeps flow continuous
- Reduced yard time = lower stress, lower cortisol, and better overall wellbeing

The front-read EID headbail on the Highflow Handler is a standout:

- Accurate on large or small stock
- Reads tags in either ear
- No missed reads, no double handling

The TechniPharm draft sequence (simple & fast)

1. Rear entry gate opens → gate opens via remote control
2. Animal enters → gate closes via remote control
3. Weight + EID recorded while animal is secure
4. System selects the correct draft path
5. Draft gate opens automatically
6. Animal is released and exits cleanly
7. System auto-resets instantly for the next animal

No delays. No confusion. Just flow.

AUTO DRAFTING



Flow control without extra gates

Our cattle curtain modules manage lead-up pressure naturally, removing the need for extra holding gates or controlled lead-up pens. Stock stay settled, operators stay relaxed, and throughput stays high.

Built for real-world farming

- Override controls allow instant manual decisions during drafting
- Easily switch to manual draft mode when required
- Perfect for unexpected treatments or alternative sorting on the fly

Time back where it matters


Less yard time. Fewer people required. Faster drafting. That means more time grazing for cattle and more productive hours back for operators—whether that’s getting on with the next job or simply finishing earlier.

**TechniPharm auto-drafting isn’t just automation.
It’s smarter animal handling.
It’s better welfare.
And it’s farming made EZY.**



3-WAY DRAFTER MODULE

OPERATES IT:
Manual, Pulley
or Air oper.



Side gates are lockable to ensure animals do not exit unit through side gates

EASY DRAFTING STRAIGHT OUT OF A HEADBAIL OR HANDLER

The 3-WAY SMART-YARD® DRAFTER MODULE makes Drafting straight out of a headbail or a Handler a piece of cake!

This multi purpose drafter has self locking access gates that allow you full access to the headbail. The slimline non-turn-around design can have its highly effective drafting gates operated manually, by rope-and-pulley or with a remote / joy stick. (Central point air operation.)

It really complements a Handler and is worth its investment in time savings and optimum working speed as well as increased safety.



Your options:
1) Pulley/rope opening
2) Weigh activated air auto draft
3) EID auto draft

WE MAKE FARMING EZY 3-WAY DRAFTER



SAFE & EASY ACCESS

Front access gates allow you easy access to the front of the headbail/handler so you can carry out operations on the animal's head with maximum safety.



EXCELLENT DESIGN


Same width 'sleek' design ensures cattle do not turn in the drafter.

Side gates are lockable to ensure animals do not exit unit through side gates.



AIR OPERATION PANEL

Optional central point air operation.



VERY QUIET OPERATION

You have a choice of 3 opening methods: Manual, Pulley or fully air operated drafting with a remote / joystick.



100% NZ MADE

A solid robust construction that is of New Zealand design and workmanship.



ROUNDED CONTACT AREAS

Rounded "non bruising" steel on all contact areas resulting in better meat quality (pH measurements) enhancing your meat returns. Galvanized inside and outside.



EID CAPABILITY

Leaders in EID - Ear tags and tag reading systems. See brochure on our EID systems.



SAFETY ASSURED

ACC & OSH
New private insurance requirements will mean savings and credibility to you when you ensure safety in your working environment.



MADE ROBUST

High tensile product; Up to 28% more strength at no extra cost. Constructed out of Heavy Duty Kattle Rail extra strength material for extreme durability
SPECS: 2750mm long x 740mm wide. **Material:** 50/50 RHS/Pipe - Heavy Duty Galv. Kattle Rail.

EZY QUOTE: "Paying a little more justifies itself in the long term and we are happy with the money we outlaid" "The benefits of having a TechniPharm Handler compared to another crush on the market have been worth it and I think it is good value for the dollar spent" PR & SM Humphreys Wilencote Station GISBORNE

INNOVATION AND PRODUCT AWARDS

PRODUCT AWARDS



National Fielddays 2001



Australia National Field Days 2002



Aus. Hamilton Beef Expo



QuikSmart™ Gate Nat Fielddays 2000



Waimumu S Island Fielddays 2002



National Fielddays 2002



Australia Beef Expo 2003 (2x)



Australian Far World 2002



Accelerator™ Drafter Nat Fielddays 2002



NecKlump Nat Fielddays 02 Aus. Beef Expo 2004



Rotating Yoke Headbail™ Southern Fielddays 2002



KwikLock™ Locking System Nat Fielddays 2001 - Aus. Nat Fielddays 2002



Rotating Yoke Headbail™ FarmWorld Australia 2002

BRAND PROMISE - Guaranteed trade in and update values!

BRAND PROMISE

The origin of a brand or branding history. The practice of branding originates in identifying the need by farmers to identify ownership of livestock in a way which is unique and easily visible.

Even in todays electronic world the US brand registers are the only form of legal livestock ownership identification.

A brand is a permanent marker and in todays commercial world a brand confirms a product or companies value proposition. The TechniPharm® cattle handling brand has been designed along the principles of cattle brand criteria and its value proposition is described on our site

www.TechniPharm.co.nz The Cattle Handling brand will be visible on all our promotion material and equipment and will be your guarantee of genuine ownership and pride. Sale Flexibility and Value.

EZY QUOTE: "Best thing since sliced bread"





HEAD OFFICE
92/2 Hawthornden Drive
RD 4, ROTORUA, 3074
NEW ZEALAND

CORRESPONDENCE
NZ: 0800 80 90 98
sales@technipharm.co.nz
AU: 1800 124 034
sales@technipharm.com.au

Website: www.technipharm.co.nz www.technipharm.com.au

NOTES:



NZ 0800 80 90 98 - AUS 1800 124 034
WWW.TECHNIPHARM.CO.NZ
WWW.TECHNIPHARM.COM.AU