



iBEEF®



- *Silent locking
- *Ergonomic design
- *Easy operation
- *Upgrade Flexibility
- *EID and Automatic Integration
- *Stress free for Animal operating



CATTLE HANDLING HEADBAILS

FARM READY RANGE

2026-2027

HEAD OFFICE
PO BOX 959
92/2 HAWTHORNDEN DRIVE
RD 4, ROTORUA
NEW ZEALAND

An inflation price adjustment is added to all prices
See website for our sales Terms & Conditions



Freephone NZ 0800 80 90 98 E: sales@technipharm.co.nz W: www.technipharm.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharm.com.au W: www.technipharm.com.au

TechniPharm® Cattle Handler Headbails Introduction Summary

Purpose-built cattle restraint and handling systems engineered for performance, safety, and animal wellbeing, head bail design drives optimum outcomes for animal and operator and should be the #1 selection criteria

Suitability to purpose

(Right headbail for the right stock, workload, and handling objective)

TechniPharm's headbail range is intentionally segmented by animal size, behaviour, and handling intensity, ensuring equipment is fit for purpose rather than over- or under-engineered.

HEADBAIL TYPE	BEST SUITED FOR	PURPOSE RATIONALE
Highflow 260™ (Active Hydraulics)	Heavy cattle, bulls, high throughput systems	Maximum control, speed, and access for demanding environments
Rotating Yoke™ (Active Hydraulics)	Heavy cattle, mixed mobs	Uses animal instincts rather than force for calm restraint
MidRanger™ Concertina (Full / Medium)	Medium to heavy cattle, mixed-age mobs	Versatile flow with controlled neck extension
Headclamp & Calf Headbail	Light animals, calves, low-volume yards	Simple, safe restraint without unnecessary complexity

CORE PRINCIPLE:

The equipment adapts to the animal — not the other way around.

Technical specifications & engineering principles

Shared engineering DNA across the range

- Active or Passive hydraulic locking systems (no ratchets, no sudden shock loads)
- Minimal moving parts (typically ~3 main components)
- Efficient force transfer and lock — hydraulic energy applied at the neck centre
- Hot-dip galvanised construction (inside and out)
- Designed to integrate with full Cattle Handlers, EID, and automation



EZY QUOTE: "My neighbour has got one of these, I never really understood why it took him a few hours to do a job in the yards which takes me days"

Headbails Selection

Highflow 260™ flagship technical highlights

TECHNICAL FEATURE	PRACTICAL OUTCOME
260°+ head access	Excellent access for EID tagging and animal inspection
V-shaped “arrow” doors	Accurate neck capture — avoids shoulder catching
Centre-lock hydraulic loading	Balanced force delivered exactly where required
Up to 500 kg effective holding force	Secure hold without excessive pressure
Fast sliding “door” directional forward action	Critical for flighty cattle and fast throughput
EID-ready architecture	Seamless integration with weighing and auto drafting full EID read from the front for optimised reading of all tags

Rotating Yoke™ — key technical logic

- Semi-rotating yokes replace complex linkages
- Rotation movement works with “cattle flight behaviour”
- Silent, infinite active hydraulic locking
- No protruding parts inside the headbail frame

Concertina (MidRanger™) — key technical logic


- Concertina action provides a clear walk-away exit
- Rubber-lined yokes improve stock hold
- Neck extenders bring the head forward for safer and increased access
- Hydralock™ system allows infinite locking

Ease of use (operator-centred design)

TechniPharm headbails are engineered to reduce fatigue, increase visibility, and improve workflow, especially during long handling sessions.

Operator benefits

- Ergonomic designed operation eliminates shoulder, elbow, and wrist strain
- Front or rear operation capability on all models (optional Kit Set)

 **EZY QUOTE:** Beef Master with Rotating Yoke Headbail – Hilton from Wairoa “We handle bulls over 600kg, with our new TechniPharm handler this is not a problem”

- Clear sightlines — operators always see animal position
- Walk-through design with no bottom rails or trip hazards
- Easy bolt-on installation to handlers or existing yard posts, this allows a stand-alone design principle with upgrade options at no loss of the original purchase

Practical result:

Faster catch, fewer misses, less re-handling, and safer one-person operation in most setups.

Animal wellbeing & behavioural outcomes

TechniPharm headbails are designed around cattle psychology and biomechanics.

WELFARE CRITERION

Low-stress entry
 Reduced panic response
 Correct head position
 Neck & shoulder safety
 Reduced cortisol response
 Cleaner drafting outcomes

DESIGN RESPONSE

Directional forward flow encourages voluntary movement
 Quiet active or passive hydraulics — no ratchet noise
 Head-up stance reduces kneeling and going down
 Catchment focused on neck centre, not shoulders
 Smooth, predictable restraint reduces fight-or-flight
 Better flow through when drafting (manual or auto)

KEY INSIGHT APPLIED:

An animal with its head up and correctly positioned leads to reduced “ fights”



EZY QUOTE: *Not surprised the Rotating Yoke headbail has won 4 awards it will get more too..” “It’s turned the job right around, it’s a bloody delight to work with” “This certainly is a time when the manufacture’s claim is no bull” “The Rotating Headbail is just so easy to work, very strong”* JC Wilson, Dipton, SOUTHLAND

Innovation, awards & industry recognition

(Independent validation of performance and design)

TechniPharm headbails and cattle handling equipment have received multiple independent innovation and product awards, particularly for quiet operation, simplicity, safety, and effectiveness.



- Notable recognitions include:
- National Fieldays – Award of Merit
- National Fieldays Innovation Awards (multiple years)
- Australian National Field Days – Innovation Awards
- Beef Expo Innovation Awards
- Southern Fieldays – Innovation Awards
- Country Trader – “Prize for Keeping Quiet”
- Country Trader – “Kiwi Ingenuity Wins Inventions Awards”

Why this matters

- Awards were judged against real on-farm performance, not concept designs
- Recognition focused on noise reduction, operator safety, and animal control
- Confirms TechniPharm’s design philosophy: simpler mechanisms outperform complex systems

Independent judges consistently highlighted:

- Fewer moving parts
- Silent operation
- Reduced operator strain
- High animal control with low stress

Executive summary

TechniPharm headbails combine animal-behaviour-led design, active and passive hydraulics, and proven simplicity to deliver safer, faster, and lower-stress cattle handling. Purpose-matched to animal size and workload, engineered with minimal moving parts, and validated by multiple independent innovation awards. The result is an Handling “machine” that improves animal flow, reduces operator fatigue, lowers stress responses, and integrates seamlessly with modern EID, weighing, and automated drafting systems.

Additional benefits; can be used as a stand-alone or upgradable and fully integrated handling system



EZY QUOTE: “Best thing since sliced bread”

CATTLE HANDLING HEADBAILS

CATTLE HEADBAILS - 4 Leading Designs to choose from:



- | | | |
|----------|---|---|
| 1 | HIGHFLOW 260⁰™ (active hydraulics) | heavy animals and bulls |
| 2 | ROTATING YOKE HEADBAIL WITH NECKLAMP (active hydraulics) | heavy animals and bulls |
| 3 | CATTLE PRO™ MIDRANGER CONCERTINA HEADBAIL (FULL AND MEDIUM SIZE) | medium to heavy animals |
| 4 | HEADCLAMP and CALF HEADBAIL | low volume, lighter animals and calves |

HIGH FLOW 260⁰™, ROTATING YOKE AND CONCERTINA ACTION EXPLAINED

HIGHFLOW 260⁰™ ACTION

The HighFlow 260⁰™ is a uniquely V shaped head bail with 260 degrees access, this system was developed over a 5 year research and development time frame and extensive testing was carried out on both animal hold and head and neck access.

This head bail system is totally unique and provides professional cattlemen with a real solution for top handling and flow and most importantly holding large animals.




ROTATING YOKE ACTION AND NECKLAMP

People often ask why a Rotating Yoke and why a handle moving sideways? Its all to do with the flight zone...

Why on earth did engineers design headbails with handles placed next to the headbail with cattle having to move towards the operator? Every stock handling person knows that this is asking for trouble, yet many companies still make them and many farmers still buy them. However, there is a better way... the Rotating Yoke way.


The Rotating yoke was designed with cattle instincts in mind. Cattle will move by themselves as long as you create an environment in which they feel happy. So if you stand in front of the point of balance (shown below) you are fighting them all the way. Stand behind the point of balance (where the Rotating Yoke sideways moving handle is placed) and you are working with the animal. With the Necklamp this headbail is unbeatable.



CONCERTINA ACTION

The moon shape design allows for ezy access to ears and neck. Neck extenders are an optional extra and bring the head forward.

The concertina action can be activated from the front or the rear by means of an optional rear operation kitset.



LOCKING SYSTEMS EXPLAINED

LOCKING SYSTEMS EXPLAINED

ACTIVE HYDRAULIC LOCKING SYSTEM



Active Hydraulic locking

HighFlow 260⁰™, #8 Handler™, BBB Prime™,

Active Hydraulic locking is actioned by a hydraulic power pac or tractor hydraulics. The power used in the hydraulic pressure system are more than enough to hold and lock cattle in a desired position without the need of an additional locking device. Superior hold and lock and superior speed and action by means of finger tip controls. Super EZY and ultra safe on all counts.

HYDRALOCK LOCKING SYSTEM



Passive Lock - Hydralock®

Midranger, Beefmaster Classic


The Hydralock® was developed to eliminate noise and to create a very reliable fast locking system.

The locking is actioned by moving oil between two compartments which are separated by a checker valve.

The system allows for infinite locking. In situ the system is always locked. A plunger releases the system, via the operating handle, ezy!

Ensure your Hydralock is genuine NZ Made by Technipharm, beware of copies!

KWIKLOCK™ LOCKING SYSTEM



Mechanical Locking - Kwiklock™

The Kwiklock ram is a patented locking system which works by positioning several hardened steel plates onto a shaft, a plunger locks which the plates in place. The system is instant in its locking and can be used in any position (flat or upright). This mechanical locking ram is used on all squeeze systems and where air rams are used to action the head bail.

The system allows for infinite locking. In situ the system is always locked, a plunger releases the system via the operating handle, ezy!



TechniPharm does not use ratchet locking systems, which are often found on all alternative designs. Ratchet systems can be very noisy and tend to upset the stock. Creating unnecessary stress.



HIGHFLOW 260⁰™ HEADBAIL

HIGHFLOW 260⁰™ HEADBAIL

The serious headbail for serious stockmen

Conventional headbails have a limited head/personal access (180 -210 degrees at best) which inhibits the ability for the operator to do jobs on the head, for example EID tagging where good access is required.

The Highflow260™ has 260 plus degrees animal head access

Animal flow and willingness to move into a headbail is all to do with the animal feeling safe and comfortable, the more directional flow “working with the animals directional movement” means better flow and better draw.

The HighFlow260™ has directional flow which moves with animal flow

To catch the animal, particularly flighty animals a fast reaction time between open and shut is required, the yokes V slide movement provide for this.

The HighFlow260™ - uniquely designed “wedged” V doors fast slide movement provide for fast animal catchment. The doors move with the direction of animal movement

The HighFlow260™ - Better Head/neck position catchment (not catching animals on shoulders)

Operators can see what is happening to the animal in order to catch it.

Head position is critical for the ability to work on the animals head, but also to encourage the animal to stand up. An animal with its head up very seldom falls to its knees.

The HighFlow260™ has a pointed V door design like an arrow which gives more accurate catching ability for the operator and a more natural force on the neck.


Yoke force on the neck determines holding ability. The “looser the grip” the more the animal moves.. (force beyond 200KG can kill the animal). In many headbails mechanical delivery of force is through the top of the structure, this means energy is lost in the centre of the yoke where we actually need the force.

The HighFlow260™ - Headbail Centrelock™ mechanism loads the two opposing doors in the centre of the doors (not top) delivering maximum pressure the animal's neck so force impact is focused in the center where the neck needs it.

The HighFlow260™ - Headbail is fully sheeted and the yokes run on a solidtrack providing for a solid hold both top and bottom with all locking energy delivered to the centre where closest to the neck.

Legs often get in the way by the animal moving forward, and poke legs through any gaps which may exist. This allows the animal to move more than what is desirable.

Safety in handling stock is paramount, the The HighFlow260™ - Headbail provides for all the features needed to have a fast, solid, heavy duty robust operating system which is animal wellbeing and people friendly and as such provides additional safety in use.



ACTIVE
HYDRAULIC
LOCKING SYSTEM

TECHNIP
THE BRAND YOU CAN TRUST

“Down south Liz and John Mc Kerchar, of Cave also have a Hiflow 260 Cattle Handler which was installed in 2019 for their early gestation Hereford stud Shrimptons Hill. Now having done a lot of work in this unit this is what they have to say “ we never thought that Cattle handling could be so easy, it's made a massive difference to how we do things, we also have 2 other Technipharm manual Handlers, also great to work with, but the Highflow is just the bees-knees” safety, speed and the fact animals are very relaxed being handled are big plusses for us. “



HIGHFLOW 260⁰™ HEADBAIL




HYDRAULIC OPERATION

Safe working for all staff.
Power at your fingertips.



EID

Monitor And
Eid Reader for
100% read



Birds eye view
of the animal in
the headbail

GREAT 260° WORK ZONE

Wherever you stand
there is access.



EXCELLENT DRAW

Means faster
working. Saving
time. Animals feel
comfortable.



SUPERLOCK VIA HYDRAULIC CENTRELOCK™ SYSTEM

Power where you
need it.



EASY TO INSTALL


Bolt on to your
existing handler or
strainer post. .



260° PLUS DEGREES ANIMAL HEAD ACCESS - GREAT FOR EID TAGGING



INJECTAGATE™ - 2 SLIDING PANELS AT THE FRONT FOR OPTIMUM NECK ACCESS OPTIONAL EID READER PANEL



EXCELLENT HEAD/NECK POSITION CATCHMENT (NOT CATCHING ANIMALS ON SHOULDERS)

A perfect fit.



UNIQUELY DESIGNED “WEDGED” DOORS FAST SLIDE MOVEMENT PROVIDE FOR FAST ANIMAL CATCHMENT



DESIGNED FOR THE DISCERNING COMMERCIAL AND STOCK FARMER



500KG OF PURE GRUNT AND TECHNOLOGY. THE BEST. EZY!

**NO BULL
HOLD
AND OUR MONEY BACK
GUARANTEE
100% EZY!***



*Standard sales conditions apply. See Pricelist for details.

EZY QUOTE: “The demonstration at Mystery Creek Fieldays confirmed my thoughts on the TechniPharm Cattle Handler”. “It was the one I could see working very well in my cattle yards”. “At 4.55 pm I strolled up to the TechniPharm site & put a deposit on one, paying the balance on delivery in October”. “It’s now December & many bulls between 300 and 800 kilo’s have passed through them”. “I’m over the moon with its performance!” “Even my vet who was out the other day to administer antibiotics to a difficult bull that had been injured though I’d made a very good choice” Calum McMillan, Hastings.



Freephone NZ 0800 80 90 98 E: sales@technipharm.co.nz W: www.technipharm.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharm.com.au W: www.technipharm.com.au

ROTATING YOKE™ HEADBAIL



ROTATING YOKE™ HEADBAIL

All good handling starts with this superb headbail.

The Rotating Yoke™ Headbail is the most sophisticated and yet simplest of headbails - it is built with only 3 main moving components and no linkages.



Includes 'built in the frame' features like an Injecta-Gate™, Secondary Safety System, and the Kwiklock™ Silent Locking System, since 2018 we do this unit in full Hydraulics, giving

you unbeatable performance and reliability


Reasons to choose a Rotating Yoke™ Headbail include:


- Virtually no wear and tear
- Optimum positive lock
- Silent infinite lock
- Less maintenance
- Optimum yoke pressure on neck
- Injection gate included
- Heaviest stand alone headbail on the market
- Superb value for money
- 250Kg of pure NZ made grunt

The Rotating Yoke™ Headbail works on a patented principle of rotating yokes - linkages are replaced by a semi-rotating sprocket like plate. This ensures a very strong and positive movement of the two yokes together. The second unique concept is the horizontally operating mechanism, which is attached directly to the rotating yokes. The direct attachment of the active hydraulic ram and yoke means there is no free play and a direct control between handle and yoke movement. This translates into optimum pressure to yoke energy conversion (clamping pressure).

You will also benefit from no longer having to heave or hang on to 'up and down' handles in order to lock the headbail. The active hydraulics operating means anyone of any height can move the handle backwards or forwards. No more sore shoulders or tennis-elbow pains!

Finally, the Hydraulics allow positive and silent, opening or closing. No longer do you have to put up with the clanging and banging of ratchets and handles or hard work, we make farming ezy.



 **EZY QUOTE:** "The headbail is a brilliant, one person operation, simple, quick and very effective" "Your TechniPharm Headbails beat everything else hands down" Tony & Jean Scarlet, Scarlet Farm P/ship, Christchurch




ROTATING YOKE™ HEADBAIL WITH ACTIVE HYDRAULICS



HYDRAULIC LOCKING



- silent operation
- can be opened under load
- infinite locking
- operator safety
- no separate release devices needed, and allows open and close from front and rear
- can be used in any weather condition




Poor access - flat faced design with front barriers



Rotating Yoke Headbail for excellent access

EASY ACCESS

The round "moon shape" design means the animal is placed further forward and is free of any front barrier construction giving you room & access to work the head. This eliminates a common problem with the flat faced headbail where the animal pulls its head back with ears tight against the headbail and as such you are left the scramble for ears or neck.



ONLY 3 MOVING PARTS

Most headbails have up to 14 components. Fewer parts results in better holding and locking Ezy on you and the Animal.



FASTEST AND EASIEST TO WORK

Anyone can use the headbail and it's great for farmers who have weak shoulders or elbows, hydraulics mean safe and secure handling and energy left at the end of the day to enjoy life



INJECTAGATE™

The only safe and proper access for injecting & only available on a TechniPharm® Rotating Yoke™ Headbail.

NO PROTRUDING PARTS

The yokes turn inward and outwards within the heavy frame which means no protruding elements.



CLEAR VISION WALK THROUGH

Full width clear opening ensures an easy and fast flow of cattle. Can easily be released even if the animal goes down.



100% NZ MADE

Fully NZ designed & made. Dollar for dollar feature for feature the very BEST

EXTRA STRENGTH

Weight = 220 kg. Heaviest & best constructed design. Extra heavy duty components and Cattle Handler compatible.

"I can still do a full day handling stock and still have the energy to play with the kids and spend time at home with family relaxing"



EZY QUOTE: "I had heard about how good it is, now I have seen it I know that this is definitely the one I would want for my farm no matter how cheap an alternative may be"

CATTLE PRO™ MIDRANGER™ FULL SIZE CONCERTINA HEADBAIL

CATTLE PRO™ MIDRANGER™ FULL SIZE CONCERTINA HEADBAIL




The full size, heavy duty concertina headbail with double yoke, rubber lining and neck extenders is a true award winning Cattle Handler Headbail. With many units in use since its revolutionary entry to the market in 1995.

Features which make this headbail so great include the concertina "fold door type" fully walkthrough, rubber lined yoke system. It works very effectively for both small animals (V lock) and larger animals (reverse V lock).

This, in combination with the Rubber Lined Yoke, means the head is held firmly in place. Up to this point you could argue that other headbails could achieve near the same, with one important exception! The moon shape access design of the Cattle Handler head bail means you have the animal placed further forward and you have room and access to work the head. A flat faced (slide door type) head bail will mean the animal pulls its head back with ears tight against the head bail and as such you are left the 'scramble' for access to ears or neck.

This head bail has received more awards including international awards than any other. Make it ezy! Worthy of another award is the new adjustable powerlock.



PATENTED NECK EXTENDERS

Brings the head forward which means the neck is extended and exposed for you to work much easier and in safety.



POWERLOCK HANDLE FOR BEST CONTROL & SAFETY

No one wants to walk into sticking out handles, this handle drops away nicely alongside of the handler and gives you free and safe passage.



PATENTED HYDRALOCK™ LOCKING

The whisper quiet patented, Hydra Lock lever, the MidRanger is light to operate with minimal force and infinite adjustment of the headbail doors. No generators or pumps needed



UNIQUE V LOCK CONCERTINA WITH RUBBER LINED YOKES GUARANTEES YOU A SUPER COMBINATION



HYDRALOCK™ IS LIGHT AND SILENT TO OPERATE

Keep stress out of the yards and out of your mind, light and silent is best.



FULL SIZE - HEAVY DUTY

An impressive 190 KILO of top quality steel goes into this "Cattle handler compatible" headbail. You can start off with just the headbail and add a Cattle Handler later.



WHISPER QUIET TO OPERATE

No Noisy ratchets here.. resulting in minimal animal stress. You and your animals will like the totally silent locking and ultra smooth operation.



CONCERTINA OFFERS CLEAR VIEW ACTION

Folds quickly in a concertina action which provides the animal with a "clear view" exit through the headbail
*Concertina action explained Page 9

"A great well proven real headbail, I have had one for 20 years and would buy nothing else"



HOT DIPPED GALVANIZED

Galvanized on the inside and outside. A cheaper alternative to zinc shield.

YOUR OPTIMIZE OPTIONS:



ZINC SHIELD™

Zinc shield coating applied after a full sandblast. 40% more zinc than hot dipped galv material. Environmentally friendly & very high impact resistance. Thickest & most durable simply the coating of the future!



REAR OPERATION

This optional kit-set allows you to extend the operation position from the standard to a 2.8m extension rod placed at the rear.

EZY QUOTE: "I have a sore shoulder and tennis elbow, this KWIKLOCK™ system means I can do all my handling work with ease and still feel great afterwards"



MIDRANGER™ MEDIUM SIZE CONCERTINA HEADBAIL


MIDRANGER™ MEDIUM SIZE CONCERTINA HEADBAIL

The **Medium size MidRanger™ Concertina Headbail** is equipped with a one sided ribbed yoke, Neck Extenders and HydraLock™ Ram.

Ideal for those farmers who do a limited amount of handling and cannot justify the heavier Full size MidRanger or the Rotating Yoke Headbail.

MidRanger medium size give you the key benefits at a reduced price which is miles better than having to buy an old fashioned ratchet operated unit.–This unit comes galvanized with 4 mounting lugs. Choose Nearside or Offside operation.

Rec. cattle weight limit: 500 KG



1 REAR OPERATION

This optional but highly recommended rear operation kit improves the flow which is especially important in one man operations.



3 HYDRALOCK IS LIGHT AND SILENT TO OPERATE.

Keep stress out of the yards and out of your mind, light and silent is best.



4 HOT DIPPED GALVANIZED

Around 140 kilos of inside & outside galvanized high tensile steel.

Rec. cattle weight limit: 500 kg.



5 CONCERTINA OFFERS CLEAR VIEW ACTION

Folds quickly in a concertina action providing a clear exit for the animal.



6 WHISPER QUIET TO OPERATE

No noisy ratchets here! resulting in unnecessary minimal animal stress. Silent Locking is the name of the game



7 DROP AWAY HANDLE FOR OPTIMUM SAFETY

A drop away handle is provided for optimum safety, no one wants to walk into sticking out handles, this handle drops away nicely alongside of the handler.



8 OPERATED BY A SELF CONTAINED HYDRALOCK RAM

Operated by a self contained hydraulic cylinder, this locking headbail has been tested to 2.7 tones and will not open until the lever has been engaged. It also gives you infinite adjustment. No generators or pumps needed.



9 SINGLE SIDES RUBBER LINED YOKE

Makes it work very effectively for different size animals.

Rec. cattle weight limit: 500 kg.

YOUR OPTIMIZE OPTIONS:



1 REAR OPERATION

This optional kit-set allows you to extend the operation position from the standard supplied 1.5m to the back placed handle to a 2.8m extension rod.



2 NECK EXTENDERS

Brings the head forward which means the neck is extended and exposed for you to work much easier and safer.

4a



ZINC SHIELD™

Zinc shield coating applied after a full sandblast. 40% more zinc than hot dipped galv material. Environmentally friendly & very high impact resistance. Thickest & most durable environmental durable coating.


CALF HEADBAIL

CALF HEADBAIL

This headbail is superb for those farmers doing any work on calves at a young age.

The headbail comes equipped with gudgeons for mounting and a drop in pin for locking the bail.

The restraint preventing the calf from raising its head comes in the form of horizontal bar which is secured to the headbail to prevent the calf "Pulling up & out".



NOTES:




0800 80 90 98

WWW.TECHNIPHARM.CO.NZ



INNOVATION AND PRODUCT AWARDS

PRODUCT AWARDS



National Fielddays 2001



Australia National Field Days 2002



Aus. Hamilton Beef Expo



QuikSmart™ Gate Nat Fielddays 2000



Waimumu S Island Fielddays 2002



National Fielddays 2002



Australia Beef Expo 2003 (2x)



Australian Far World 2002



Accelerator™ Drafter Nat Fielddays 2002



NeckKlamp Nat Fielddays 02 Aus. Beef Expo 2004



Rotating Yoke Headbail™ Southern Fielddays 2002



KwikLock™ Locking System Nat Fielddays 2001 - Aus. Nat Fielddays 2002



Rotating Yoke Headbail™ FarmWorld Australia 2002

BRAND PROMISE Guaranteed trade in and update values!

BRAND PROMISE

The origin of a brand or branding history. The practice of branding originates in identifying the need by farmers to identify ownership of livestock in a way which is unique and easily visible.

Even in todays electronic world the US brand registers are the only form of legal livestock ownership identification.

A brand is a permanent marker and in todays commercial world a brand confirms a product or companies value proposition. The TechniPharm® cattle handling brand has been designed along the principles of cattle brand criteria and its value proposition is described on our site

www.TechniPharm.co.nz The Cattle Handling brand will be visible on all our promotion material and equipment and will be your guarantee of genuine ownership and pride. Sale Flexibility and Value.

TECHNIPHARM
BRAND PROMISE
CATTLE HANDLING



EZY QUOTE: "Best thing since sliced bread"

