




iBEEF®FARM



CATTLE HEADBAILS AND HANDLERS

30 Years of trusted quality and innovative make farming ezy solutions

WORKSHEETS 2025/26



- ✓ Metal is a 100% recyclable product
- ✓ Circular Agricultural Economy

Note:

A price inflation adjustment may apply to all prices, see our T's and C's www.technipharm.co.nz

Our production efficiency is achieved by best forward planning, as such our factory is always at full capacity

For all custom made product allow at least 6-10 weeks from order to delivery

For standard products stock may be on hand depending on seasonal fluctuations and demand

We recommend you plan ahead well of time to ensure we can meet your requirements in the best way possible.

- ✓ All Prices listed exclude gst
- ✓ See website for our sales Term & Conditions
- ✓ All prices exclude GST and freight/in transit insurance



INDEX

PAGE

HEADBAILS:

HIGHFLOW 260

3

ROTATING YOKE

4

MIDRANGER - CATTLE PRO

5-6

HIGHFLOW 260° EXTREME

7

#8 CATTLE HANDLER

10

MIDRANGER - FARM-READY

12

BEEFMASTER CLASSIC

13

BULL BEEF BOX

14

CALF HEADBAIL

15

3-WAY DRAFTER

16

SEE BASE UNIT SPECIFICATION PAGE

17

NOTE INFLATION ADJUSTMENT

DUE TO FAST CHANGING VARIOUS CHANGES OF RAW MATERIAL AND INPUT PRICES TECHNIPHARM MAY ADD AN INFLATION ADJUSTMENT OF 1-5% TO ALL CATTLE AND DAIRY HANDLING EQUIPMENT. THIS AMOUNT WILL BE SHOWN ON ALL PRICE ITEMS AND INVOICE SEPARATELY.

HEADBAILS - HIGHFLOW 260⁰™



HIGHFLOW
260⁰™
A SERIOUS HEADBAIL FOR SERIOUS STOCKMEN

✓ ACTIVE HYDRAULICS

YOUR INVESTMENT


\$13,595,-

CODE: CHHB26

BASE UNIT SPECIFICATION

- ✓ Hydraulic operation
- ✓ Super fast action
- ✓ Great 260° work zone
- ✓ Excellent draw
- ✓ Super lock via Hydraulic Centrelock™ system
- ✓ Easy to install (fix onto any old crush)
- ✓ 260° Plus degrees animal head access - Great for EID tagging
- ✓ INJECTAGATE™ - 2 sliding panels at the front for optimum neck access
- ✓ Excellent head/neck position catchment (not catching animals on shoulders)
- ✓ Uniquely designed "wedged" doors fast slide movement provide for fast animal catchment
- ✓ For the commercial cattle handling operators and the export market
- ✓ 500kg of pure grunt and technology. The best. EZY!
- ✓ Hot dip galvanised
- ✓ Tractor hydraulic controls, 10m hose & controls included.

**PLEASE TICK
YOUR PREFERRED
OPERATION SIDE**



CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Email:

Customer Signature:

PRODUCT DETAILS



CUSTOMIZE YOUR HEADBAIL

Hydraulic Powerpac controls

6,500

FOR OFFICE USE

Product Advisor:

Signature:

Inflation ad;

Sub Total

GST

Freight

Total

✓ An inflation price adjustment is added to all prices



Freephone NZ 0800 80 90 98 E: sales@technipharma.co.nz W: www.technipharma.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharma.com.au W: www.technipharma.com.au



ROTATING YOKE HEADBAIL™ HYRAULIC ACTIVATED

YOUR INVESTMENT


\$8,995.-

CODE: CHRTTY

BASE UNIT SPECIFICATION

- ✓ Hydraulic activated
- ✓ Easy access
- ✓ Only 3 moving parts
- ✓ Fastest and Easiest to work
- ✓ Silent & light to operate
- ✓ Mounting lugs
- ✓ Can be upgraded to full handler
- ✓ InjectaGate™
- ✓ No protruding parts
- ✓ Clear vision walk through
- ✓ Hot dip galvanised
- ✓ 100% NZ made
- ✓ Extra Strength
- ✓ Rear Operation (option)

BASE UNIT MEASUREMENTS



CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Email:

Customer Signature:

PRODUCT DETAILS

✓ ACTIVE HYDRAULICS



CUSTOMIZE YOUR HEADBAIL

Manual Operation	-2200	
------------------	-------	--

FOR OFFICE USE

Product Advisor:

Signature:

Inflation ad;	
Sub Total	
GST	
Freight	
Total	

✓ An inflation price adjustment is added to all prices



Freephone NZ 0800 80 90 98 E: sales@techniparm.co.nz W: www.techniparm.co.nz
Freephone AU 1- 800 124 034 E: sales@techniparm.com.au W: www.techniparm.com.au

CATTLE PRO™ MIDRANGER™ FULLSIZE CONCERTINA HEADBAIL

YOUR INVESTMENT


\$4,895.-

CODE: CHHBFC

BASE UNIT SPECIFICATION

- ✓ Patented Neck Extenders silent to operate
- ✓ Drop away handle for optimum safety ✓ Full size - Heavy Duty
- ✓ Patented HydraLock™ locking ✓ Concertina offers clear view Action
- ✓ Unique V Lock concertina with rubber lined yokes guarantees you a super combination
- ✓ Hot dip galvanized
- ✓ Rear Operation (option)
- ✓ Hydralock™ is light and


BASE UNIT MEASUREMENTS



PRODUCT DETAILS



PLEASE TICK
YOUR PREFERRED
OPERATION SIDE



CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Email:

Customer Signature:

CUSTOMIZE YOUR HEADBAIL

Rear Operation Kit Set Handle

FOR OFFICE USE

Product Advisor:

Signature:

Inflation ad;	
Sub Total	
GST	
Freight	
Total	

✓ An inflation price adjustment is added to all prices



Freephone NZ 0800 80 90 98 E: sales@technipharma.co.nz W: www.technipharma.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharma.com.au W: www.technipharma.com.au

FarmReady - MEDIUM SIZE MIDRANGER





TECHNIPHARM
"we make farming ezy"

MEDIUM SIZE MIDRANGER

CATTLE PRO™

WWW.TECHNIPHARM.CO.NZ 0800 80 90 98

YOUR INVESTMENT


\$3,200,-

CODE: CHHBMC

BASE UNIT SPECIFICATION

- ✓ Hydralock Is light and silent to operate.
- ✓ Hot dip galvanized
- ✓ Concertina offers clear view Action
- ✓ Whisper quiet to operate
- ✓ Drop away handle for optimum safety
- ✓ Operated by a self contained hydralock ram
- ✓ Unique V Lock concertina with ribbed single sided yoke
- ✓ Rear Operation (option)
- ✓ Neck Extenders (option)


BASE UNIT MEASUREMENTS



PRODUCT DETAILS



PLEASE TICK
YOUR PREFERRED
OPERATION SIDE



CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Email:

Customer Signature:

CUSTOMIZE YOUR HEADBAIL

Neck extenders	incl	
Rear Operation Kit Set Handle		

FOR OFFICE USE

Product Advisor:

Signature:

Inflation ad;	
Sub Total	
GST	
Freight	
Total	

✓ An inflation price adjustment is added to all prices



Freephone NZ 0800 80 90 98 E: sales@technipharma.co.nz W: www.technipharma.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharma.com.au W: www.technipharma.com.au



CATTLE HANDLER HIGHFLOW 260⁰™ HD EXTREME™

QUALITY AND INNOVATIVE DESIGN BY THE #1 LEADER IN CATTLE HANDLING SYSTEMS

TECHNIPHARM

PO BOX 970, ROTTERHAM, VIC 3070 AUSTRALIA
Email: info@technipharm.co.nz Website: www.technipharm.co.nz



NEW


iBeef® farm with HIGHFLOW 260⁰™ HD EXTREME™

The Highflow 260⁰ HD Extreme Handler is designed for Cattle Farmers who deal with heavy or large volumes of Cattle like heavy Bulls or Large Breeding herds.

Large and heavy animals can behave unpredictably and their weight is often 10 times the weight of the operator. This makes secure holding and easy access to the animal of paramount importance for the safety

of the operator. The design of this handler enables suburb access to head and neck for EID tagging and other general cattle work.

The Highflow 260⁰ Extreme Handler is a stake in the ground for proper and safe cattle handling for large volumes and large animals.



HIGHFLOW 260⁰ HD EXTREME FEATURES

- Hi-Flow 260 HB fully hydraulic Headbail
- Active Hydraulic Headbail operation
- Hot Dip Galvanised
- 100x100x4 Main Frame
- Headbail injection gates
- Pipe style gates hinges (no sagging)
- All gates 40NB Heavy wall pipe 4mm
- Steel Gate panels welded 3mm
- Bottom gate mid gate and top gate "3 up"
- 65NB backstructure post at vet section
- Split slide gate 50NB & 3mm panel Hydraulic operation
- Rapid entry gate
- Slide gate bottom runner nylon runners
- Slide gate rubber stoppers both ways
- 50x50 SHS floor runners
- Free standing controls
- Vet section split gates pinned both sides with 2 rails in top gate
- Drop gate gates in main top gate standard operation-side (non operation side op.)
- 2 sided parallel squeeze Hydraulic operation
- Gate work tray
- Rubber over steel galv floor standar
- HD 24mm Camlatch (black rubber/plastic grips)
- S/S Bolts / nuts
- HD squeeze pivots
- Hydraulic Ram covers (poly built)
- 2 Anti Sway bar post HD
- Swaged pipe over pipe gate hinging
- Scale multi lugs + SS feet configuration
- Vet safety slot in bottom vet gate (non op. side)

"we make farming ezy"

HIGHFLOW 260⁰™ HEADBAIL



HYDRAULIC OPERATION

Safe working for all staff.
Power at your fingertips.



RAPID ENTRY GATE

Easy and fast to operate gate makes this stress free for animals and people




UNIQUELY DESIGNED "WEDGED" DOORS FAST SLIDE MOVEMENT PROVIDE FOR FAST ANIMAL CATCHMENT



EID


Monitor And Eid Reader for 100% read



260° PLUS DEGREES ANIMAL HEAD ACCESS - GREAT FOR EID TAGGING



DESIGNED FOR THE DISCERNING COMMERCIAL AND STOCK FARMER



GREAT 260° WORK ZONE

Wherever you stand there is access.



INJECTAGATE™ - SLIDING PANELS AT THE FRONT FOR OPTIMUM NECK ACCESS OPTIONAL EID READER PANEL




500KG OF PURE GRUNT AND TECHNOLOGY. THE BEST. EZY!



EXCELLENT DRAW

Means faster working. Saving time. Animals feel comfortable.



EXCELLENT HEAD/NECK POSITION CATCHMENT (NOT CATCHING ANIMALS ON SHOULDERS)

A perfect fit and 260 Degree access!



SUPERLOCK VIA HYDRAULIC CENTRELOCK™ SYSTEM

Power where you need it.

NO BULL HOLD
AND OUR MONEY BACK GUARANTEE
100% EZY!*



*Standard sales conditions apply. See Pricelist for details.



EZY QUOTE: "The demonstration at Fieldays confirmed my thoughts on the TechniPharm Cattle Handler". "It was the one I could see working very well in my cattle yards". "At 4.55 pm I strolled up to the TechniPharm site & put a deposit on one, paying the balance on delivery in October". "It's now December & many bulls between 300 and 800 kilo's have passed through them". "I'm over the moon with its performance!" "Even my vet who was out the other day to administer antibiotics to a difficult bull that had been injured though I'd made a very good choice" Calum McMillan, Hastings.



Freephone NZ 0800 80 90 98 E: sales@technipharm.co.nz W: www.technipharm.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharm.com.au W: www.technipharm.com.au

HIGHFLOW260™ HD EXTREME™

SEE COMPARATIVE SPECIFICATION PAGE 17

\$54,500.-

CODE: CHH260

BASE UNIT SPECIFICATION


- | | | |
|---|--|---|
| ✓ Hi-Flow 2600 fully hydraulic Headbail | operation | ✓ Rubber over steel galv floor standard |
| ✓ Active Hydraulic Headbail operation | ✓ Slide gate pick up points M16 and rod end links | ✓ HD 24mm Camlatch (black rubber/plastic grips) |
| ✓ Hot dip galvanised | ✓ Slide gate bottom runner nylon runners | ✓ S/S Bolts / nuts |
| ✓ 100x100x4 Main Frame | ✓ Slide gate rubber stoppers both ways | ✓ HD squeeze pivots |
| ✓ Double HB injecta gates | ✓ 50x50 SHS floor runners | ✓ 2 Anti Sway bar post HD |
| ✓ Pipe style gates (no sagging) | ✓ Swing arm for scale & draft controls | ✓ Swaged pipe over pipe gate hinging |
| ✓ All gates 40NB Heavy wall pipe 4mm | ✓ Strikers/pin and gate rubber stopped | ✓ Scale multi lugs + SS feet configuration |
| ✓ Steel Gate panels welded 3mm | ✓ 4 Vet section split gates pinned with 2 rails top gate | ✓ Vet safety slot in bottom vet gate (non operation side) |
| ✓ Bottom gate mid gate and top gate "3 up" | ✓ Drop gate gates in main top gates operation-side | ✓ Installation - 1 man 1 day |
| ✓ 65NB backstructure post at vet section | ✓ 2 sided parallel squeeze Hydraulic operation | ✓ Rapid gate (rear entry) |
| ✓ Split slide gate 50NB & 3mm panel Hydraulic | ✓ Gate work tray | |

PRODUCT DETAILS

PLEASE TICK
YOUR PREFERRED
OPERATION SIDE

Gates shown are
recommended sizes
but can be made to suit
your requirements.

**YOUR HANDLER WILL
BE EQUIPPED WITH THE
HIGHFLOW 260°
HEADBAIL**



CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Email:

Customer Signature:

OPTIMIZE YOUR HANDLER

Weigh System and EID system	POA	
Poz-Aid™ Guide Bar /brisket support (double sided squeeze req'd)	836	

FOR OFFICE USE

Product Advisor:

Signature:

Inflation ad;	
Sub Total	
GST	
Freight/Ins	
Total	

✓ An inflation price adjustment is added to all prices




CATTLE HANDLER

For real performance get a #8 as part of your forward pack



NOW WITH ACTIVE
HYDRAULIC HEADBAIL
AT A PRICE YOU
CAN JUSTIFY!



The **#8 Cattle Handler** from TechniPharm meets the specifications and just like on the rugby field, the yards on the farm is where the grunt of a #8 is needed

Check out "*Infinity#8 Omania Farm.mp4*" from TechniPharm on Vimeo. The video is available for your viewing pleasure at <https://vimeo.com/541155283>

If you like this video, make sure you share it, too!

- ✓ Built for the job
- ✓ Big player in the yards
- ✓ No nonsense approach
- ✓ Build to play the game
- ✓ Versatile
- ✓ Sturdy
- ✓ Mobile
- ✓ Goal Achieving
- ✓ Innovative

FarmReady- #8 CATTLE HANDLER™



#8

✓ ACTIVE HYDRAULICS HEADBAIL

CATTLE HANDLER

SEE COMPARATIVE SPECIFICATION PAGE 17

YOUR INVESTMENT

\$32,500,-

CODE: CH#8H

PRODUCT DETAILS


PLEASE TICK
YOUR PREFERRED
OPERATION SIDE

N/S or **O/S**



Gates shown are recommended sizes but can be made to suit your requirements.

**YOUR HANDLER
WILL BE
EQUIPPED WITH
THE
ROTATING YOKE
HEADBAIL™ WITH
HYDRAULICS**



**FOR CUSTOM BUILD CH #8 GO TO
INFINITY BUILDER, CONNECT WITH US**

Model Farm Ready	#8
Rapid gate	
Full length handler with vet section	y
Rotating Yoke Headbail with Injectagate	y
Double sided parallel squeeze	y
Centre anti jump bar	y
Split side access gates both sides	y
Anti sway bar operating side	y
Anti backing in top gate	y
Split vet access gates on both sides	y
Double acting entry slide gate	y
Mesh floor	y
Slam shut Camlatch HD latches	y
High strenght frame 75 by 75 by 4mm	y
Pipe, round radius finish, none bruising	y
HD full length pipe in sleeve hinged gates.	y
Rotating Yokes, no levers or connectors direct drive	y
Grease points on all moving parts	y
Active Hydraulics head bail only	y
Straight fixed swing arm	y
Manual silent passive mechanical kwiklock Squeeze	y
Hot dipped Galvanized	y
Weight KG approx	1300

CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Email:

Customer Signature:

FOR OFFICE USE

Product Advisor:

Signature:

✓ An inflation price adjustment is added to all prices

Inflation ad;	
Sub Total	
GST	
Freight	
Total	



Freephone NZ 0800 80 90 98 E: sales@techniparm.co.nz W: www.techniparm.co.nz
Freephone AU 1- 800 124 034 E: sales@techniparm.com.au W: www.techniparm.com.au

FARM-READY MIDRANGER

YOUR INVESTMENT

\$17,450

CODE: CHMRG

SEE COMPARATIVE SPECIFICATION PAGE 17

PRODUCT DETAILS

Your handler will be equipped with the Full size MidRanger Headbail with NeckExtenders

PLEASE TICK YOUR PREFERRED OPERATION SIDE

☐ N/S or ☐ O/S headbail

EID READY

Farm-Ready™
CATTLE HANDLERS - HEADBAILS

New adjustable powerlock

9 x Award Winner

Model Farm Ready	Midranger
Specifications :	
Full length handler with vet section	y
Concertina Full size Headbail with Neck extenders	y
Single sided parrallel squeeze	y
Centre anti jump bar	y
Split side access gates operating side only	y
Full size draft gate none operating side	y
Anti backing in top gate	y
Split vet access gates on operating side	y
Fixed panel at non operating side (vet section)	y
Single acting entry slide gate	y
Mesh floor	y
Spring bolt latches 19 mm (1 per gate)	y
Medium Strenght frame 75 by 75 by 3 mm	y
Kattle rail round radius profile with flat face	y
HD full length pipe in sleeve hinged gates.	y
Concertina fold out 50 by 100 mm yoke face rubbe	y
Grease points on all moving parts	y
Locking system:	
Manual silent passive hydalock Headbail	y
Manual silent passive mechanical kwiklock Squee	y
Hot dipped Galvanized	y
Weight KG approx	1000

CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Customer:

Signature:

✓ An inflation price adjustment is added to all prices

FOR OFFICE USE


Product Advisor:

Signature:

Inflation	ad;	
Sub Total		
GST		
Freight		
Total		

SEE COMPARATIVE SPECIFICATION PAGE 17

PRODUCT DETAILS



Model Farm Ready	Beefmaster Classic
Specifications :	
Weigh length handler (80% of full length)	Y
Concertina Full size Headbail with Neck extenders	Y
Centre anti jump bar	Y
Split side access gates operating side only	Y
Full size draft gate none operating side	Y
Anti backing in top gate	Y
Single acting entry slide gate	Y
Mesh floor	Y
Spring bolt latches 19 mm (1 per gate)	Y
Scale/note book work station	Y
Standard Strenght Frame 75/75/3 bottom 50/50/3 Top	Y
Kattle rail round radius profile with flat face	Y
HD full length pipe in sleeve hinged gates.	Y
Concertina fold out 50 by 75 mm yoke face rubber line	Y
Grease points on all moving parts	Y
Manual silent passive hydalock Headbail	Y
Hot dipped Galvanized	Y
Weight KG approx	950

CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Email:

Customer Signature:

OPTIMIZE YOUR HANDLER

Weigh Systems and EID system	POA	

FOR OFFICE USE

Product Advisor:

Signature:

Inflation ad;	
Sub Total	
GST	
Freight	
Total	

✓ An inflation price adjustment is added to all prices

FarmReady - BULL-BEEF-BOX™



✓ YOUR BASE UTILITY BULL BEEF BOX™



BULL-BEEF-BOX

YOUR INVESTMENT

\$15,500,-

CHBBS



\$19,450,-

PRIME CHBBP


SEE COMPARATIVE SPECIFICATION PAGE 17




PLEASE TICK
YOUR PREFERRED
OPERATION SIDE



BULL-BEEF-BOX™ PRIME



PLEASE TICK
YOUR PREFERRED
OPERATION SIDE



Model Farm Ready	Bull Beef Box
Specifications :	
Weigh length handler (80% of full length)	Y
Concertina Full size Headbail with Neck extenders	Y
Centre anti jump bar	Y
Full size draft gate none operating side	Y
Anti sway bar operating side	Y
Anti backing in top gate	Y
Single acting entry slide gate	Y
Mesh floor	Y
Spring bolt latches 19 mm (2 per main gate)	Y
Scale/note book work station	Y
Medium Strenght frame 75 by 75 by 3 mm	Y
Kattle rail round radius profile with flat face	Y
HD full length pipe in sleeve hinged gates.	Y
Concertina fold out 50 by 100 mm yoke face rubber lin	Y
Grease points on all moving parts	Y
Manual silent passive hydra-lock Headbail	Y
Hot dipped Galvanized	Y
Weight KG approx	1100

CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Customer Signature:

BULL-BEEF-BOX INVESTMENT

Bull Beef Box		
Bull Beef Box Prime		

OPTIMIZE YOUR HANDLER

Weigh Systems and EID system	POA	
Rubber Mat upgrade 'Prime'		
Non operation side Drafting kit - Heavy Duty	Incl	

FOR OFFICE USE

Product Advisor:

Signature:

Inflation ad;

Sub Total

GST

Freight

Total

✓ An inflation price adjustment is added to all prices



Freephone NZ 0800 80 90 98 E: sales@technipharma.co.nz W: www.technipharma.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharma.com.au W: www.technipharma.com.au


Calf Headbail

\$1695
CODE: CHCH

YOUR INVESTMENT
\$795
CODE: CHCHB

BASE UNIT SPECIFICATION & PRODUCT DETAILS

- ✓ The headbail comes equipped with gudgeons for mounting and a drop in pin for locking the bail.



CUSTOMER DETAILS

Name:

Address:
.....
.....
.....

Phone:

Mobile:

Customer
Signature:

CALF HANDLING		
Calf Headbail	795	
Calf Handler	1695	

FOR OFFICE USE

Product Advisor:

Signature:

- ✓ An inflation price adjustment is added to all prices

Inflation ad;	
Sub Total	
GST	
Freight	
Total	



- ✓ Unit shown with weigh bars which can be added at any time

FarmReady - 3 WAY DRAFTER™



3-WAY DRAFTER MODULE

YOUR INVESTMENT

\$4,995.-

CODE: CH3WD


BASE UNIT SPECIFICATION

- ✓ 50 x 50 RHS Heavy Kattle Rail - Robust and durable
- ✓ Hot dip galvanised
- ✓ Lockable side gates to prevent animals escaping
- ✓ Self locking access gates
- ✓ Front access gates allow easy access to the headbail/handler for operations on the animal's head with maximum safety
- ✓ Full walk through
- ✓ 3 opening options: manual, pulley or fully air operated with a remote / joystick
- ✓ Rounded non-bruising steel on all contact areas
- ✓ Extra length access Gates * HD only

PRODUCT DETAILS



Side gates are lockable to ensure animals do not exit unit through side gates



same width design keeps animals from turning around



CUSTOMER DETAILS

Name:

Address:

Phone:

Mobile:

Email:

Customer Signature:

CHOOSE YOUR PREFERRED DRAFTER

Pulley / Rope Opening	\$4,995	
Air Manual switch to activate	\$8,995	
Weigh EID activate (HD)	\$9,975	
EID Autodraft (HD)	POA	
HD with extra length access gates		

FOR OFFICE USE

Product Advisor:

Signature:

Inflation ad;	
Sub Total	
GST	
Freight	
Total	

✓ An inflation price adjustment is added to all prices



Freephone NZ 0800 80 90 98 E: sales@technipharm.co.nz W: www.technipharm.co.nz
Freephone AU 1- 800 124 034 E: sales@technipharm.com.au W: www.technipharm.com.au

BASE UNIT COMPARATIVE SPECIFICATION OVERVIEW



Model Farm Ready	Highflow 260	#8	Midranger	Beefmaster Classic	Bull Beef Box	Bull Beef Box P
Specifications :						
Full length handler with vet section	y	y	y			
Weigh length handler (80% of full length)				y	y	y
Highflow 260 Headbail with 2 front injectagates	y					
Rotating Yoke Headbail with Injectagate		y				y
Concertina Full size Headbail with Neck extenders			y	y	y	
Double sided parallel squeeze	y	y				
Single sided parrallel squeeze			y			y
Centre anti jump bar	y	y	y	y	y	y
Split side access gates both sides	y	y				
Split side access gates operating side only			y	y		
Full size draft gate none operating side			y	y	y	y
Drop gates operation side						
Drop gates both sides,						
Anti sway bar operating side	y	y			y	y
Anti sway bar both sides	y					
Anti backing run up in center split gate,	y					
Anti backing in top gate		y	y	y	y	y
Split vet access gates on operating side			y			
Split vet access gates on both sides	y	y				
Full vet access gate on non operating side						
Fixed panel at non operating side (vet section)			y			
Non operating side vet safety slot	y	y				
Double acting entry slide gate	y	y				y
Single acting entry slide gate			y	y	y	
Mesh floor		y	y	y	y	y
Concrete profile floor.	y					
Spring bolt latches 19 mm (1 per gate)			y	y		
Spring bolt latches 19 mm (2 per main gate)					y	y
Slam shut Camlatch HD latches	y	y				
Scale/note book work station	y	y		y	y	y
Construction:						
Super high strength frame 100 by 100 by 4 mm	y					
High strenght frame 75 by 75 by 4mm		y				y
Medium Strenght frame 75 by 75 by 3 mm			y		y	
Standard Strenght Frame 75/75/3 bottom 50/50/3 Top				y		
Pipe, round radius finish, none bruising	y	y				
Kattle rail round radius profile with flat face			y	y	y	y
HD full length pipe in sleeve hinged gates.	y	y	y	y	y	y
Nylon runners on headbail and slide gate, rubber stopper	y					
Headbail mechanism:	y					
Center dual push arms with M16 rod ends and and links	y					
Rotating Yokes, no levers or connectors direct drive		y				y
Concertina fold out 50 by 100 mm yoke face rubber lined 100 by 50			y		y	
Concertina fold out 50 by 75 mm yoke face rubber lined 75 by 50				y		
Grease points on all moving parts	y	y	y	y	y	y
Locking system:						
Full Active hydraulics, head bail, slide gate and squeeze,	y					
Active Hydraulics head bail only		y				y
Stand alone console control platform	y					
Controls Fixed on side of handler						y
Straight fixed swing arm		y				
Manual silent passive hydra-lock Headbail			y	y	y	
Manual silent passive mechanical kwiklock Squeeze		y	y			y
Coating:						
Hot dipped Galvanized	y	y	y	y	y	y
Weight KG approx	2000	1300	1000	950	1100	900

Note:

* Small changes may occur from time to time.

*This is an overview of features and specifications